

Indian Journal of Chemistry
Sect. A: Inorganic, Bio-inorganic, Physical, Theoretical & Analytical

www.niscair.res.in; http://nopr.niscair.res.in
 CODEN: ICACEC; ISSN: 0376-4710 (Print), 0975-0975 (Online)

VOLUME 54A


NUMBER 8

AUGUST 2015

CONTENTS

1017 Chiroptical spectroscopic properties of natural T-murolols: A DFT and TD-DFT study


Molecular structure analysis suggests that the optical rotation values are regulated by hydroxyl substitution on the molecular skeleton.



Gao-Zhang Gou*, Zhou Bo, Ling Shi, Shi-Juan Xu,
 He-Ping Yan, Wei Liu* & Chao-Yong Mang

1026 Preparation and characterization of nitrogen doped $K_2M_2Ti_6O_{16}$ (M = Cr and Fe) with enhanced photocatalytic activity


Nitrogen doped Hollandite type $K_2M_2Ti_6O_{16}$ (M = Cr, Fe) oxides show higher photocatalytic activity for degradation of methylene blue than their parent analogues. The activity is due to only photodegradation and not due to the photosensitization of the dye.



S Ramakrishna, N Mahender, J R Reddy,
 Sreenu Kurra, E Nagabhushan & M Vithal*

- 1032 Solvent-free liquid phase oxidation of styrene over iron zirconium phosphate using *tert*-butylhydroperoxide as an oxidant**

α -ZrP.Fe(III)/TBHP system gives maximum conversion (28.81%) for oxidation of styrene in 5 hours. The catalyst can be reused for three cycles.




S Khare*, R Chokhare, P Shrivastava & J S Kirar

Notes

- 1039 Anion recognition properties of receptor based on 2-linked trisindolymethene**


Receptor based on 2-linked trisindolymethene can selectively recognize F^- , AcO^- and $H_2PO_4^-$ in CH_3CN , which can be detected by visible color change. It can also binding with F^- and AcO^- in water-containing solutions shown by visible color change from violet to colorless.



Wei Wei*, Shi Jun Shao & Yong Guo

- 1044 Synthesis, characterization and catalytic activity of titanium dodecylamino phosphate for synthesis of tetrahydrobenzo[a]xanthen-11-ones**


Titanium dodecylamino phosphate catalyst has been synthesized and characterized by various techniques. Titanium dodecylamino phosphate efficiently catalyses synthesis of tetrahydrobenzo[a]xanthen-11-ones at room temperature, forming the products in high yields. An equal molar mixture of methanol and water is found to be a suitable solvent.



A Rajini & N Venkatathri*

1051 Molecularly imprinted polymer for detection of endocrine disrupting chemical epinephrine in drinking water and biological buffers


A polymer for selective extraction of epinephrine has been prepared using molecular imprinting technique with two functional monomers, viz., vinylbenzyl chloride and divinylbenzene. The imprinted polymer shows selective extraction of epinephrine from water with a capacity of 9.82 mg g^{-1} , which is reduced to 9.45 mg g^{-1} in biological buffer ($\text{pH } 7.0$). The polymer shows better selectivity for epinephrine (93%) in water in the presence of bisphenol-A and nicotine as compared to the commercial polymer, XAD.



Darshana G Gour & Reddithota J Krupadam*

1057 Copper pyrovanadate as an effective photo-Fenton-like catalyst for degradation of methylene blue

Photo-Fenton-like degradation of methylene blue has been carried out using copper pyrovanadate and hydrogen peroxide as a novel catalytic system. The catalyst mineralizes the dye with photodegradation efficiency of 69.07% in visible light.



Sangeeta Kalal, Narendra Pal Singh Chauhan,
Arpita Pandey, Rakshit Ameta & Pinki Bala Punjabi*

Authors for correspondence are indicated by (*)



Online Submission for IJCA Articles

From 1 January 2015 onwards, articles submitted for consideration of publication in the Indian J Chem, Sec A, should be uploaded through our Online Submission portal, <http://op.niscair.res.in>.

Authors are requested to register at <http://op.niscair.res.in>. The articles (in MS Word) appended with the certificate of originality, illustrations (jpeg/tiff) and supplementary data, if any, may be uploaded through the User Home page. Further information is available at http://www.niscair.res.in/jinfo/author_guidelines_online_submission.pdf.

It may be noted that from 1 January 2015 onwards, articles submitted by email or postal services shall not be processed.

For technical support and assistance for online submission, Shri Sanjay Burde may be contacted (sanjayburde@niscair.res.in); Tel.: 91-11-25846301.