

Annual Subject Index

Abiotic stress		Actophotometer	
Allelic variations in <i>dnaK</i> of thermotolerant bacilli inhabiting thermal springs	527	Phytochemical investigation and exploration of CNS depressant efficacy of ethanolic root extract of <i>Cyperus kyllinga</i> Endl.	801
Expression analysis of candidate genes for abiotic stress tolerance in <i>Brassica</i> genotypes with contrasting osmotic stress tolerance	333	Acute lung injury	
Pattern of salt accumulation and its impact on salinity tolerance in two halophyte grasses in extreme saline desert in India	542	Pheniramine maleate attenuates oleic acid-induced acute respiratory distress syndrome in rats	351
Silencing of fatty acid desaturase (<i>FAD7</i>) gene enhances membrane stability and photosynthetic efficiency under heat stress in tobacco (<i>Nicotiana benthamiana</i>)	532	Acute respiratory distress syndrome (ARDS)	
Tolerance to combined boron and salt stress in wheat varieties: Biochemical and molecular analyses	321	Pheniramine maleate attenuates oleic acid-induced acute respiratory distress syndrome in rats	351
ABTS assay		Adaptation	
Antidiabetic and antioxidant activities of <i>Roylea cinerea</i> extracts: a comparative study	611	Antioxidant, photosynthesis and growth characteristics of plants grown in high sulphur coalmine overburden	151
ACC deaminase		<i>Adhatoda vasica</i>	
Exogenous expression of ACC deaminase gene in psychrotolerant bacteria alleviates chilling stress and promotes plant growth in millets under chilling conditions	463	Antitumor potential of herbomineral formulation against breast cancer: Involvement of inflammation and oxidative stress	680
<i>acdS</i> gene		Adverse drug reaction	
Exogenous expression of ACC deaminase gene in psychrotolerant bacteria alleviates chilling stress and promotes plant growth in millets under chilling conditions	463	Protective role of Edaravone against valproic acid induced changes in skin	286
Acetaminophen (APAP)		<i>Aeluropus lagopoides</i>	
Protective role of heptametoxyflavone against acetaminophen induced hepatotoxicity in zebrafish	805	Pattern of salt accumulation and its impact on salinity tolerance in two halophyte grasses in extreme saline desert in India	542
Acetylcholinesterase (AChE)		AgNO ₃	
Alterations in cerebrocortical synaptosomal acetylcholinesterase activity and histomorphology of thyroid gland of adult rat during different thyroidal conditions	201	Synergistic effect of silver nitrate and coconut water on shoot differentiation and plant regeneration from cultured cotyledons of <i>Capsicum annum</i> L.	184
Protective role of Krill oil against estrogen deficiency induced neurodegeneration in ovariectomized rats inhibitors	279	<i>Alcaligenes faecalis</i>	
Therapeutic potentials of herbal drugs for Alzheimer's disease—An overview	63	Evaluation of arsenic removal potential of arsenic resistant bacteria with the role of physiological and genomic factors	251
<i>Acinetobacter seifertii</i>		<i>Alcaligenes</i> sp.	
Spray drying as effective encapsulation method for phenol degrading bacteria	485	Poly-b-hydroxybutyrate biodegradation by mixed culture population <i>vis-à-vis</i> single culture population under varying environmental conditions: A new approach	311
<i>Actaea acuminata</i>		Aldose reductase	
Neuropharmacological investigations on <i>Actaea acuminata</i> Wall. ex Royle roots	27	Anticataract potential of roots of <i>Boerhavia diffusa</i> on galactose induced cataractogenesis	838
Actinomycetes		<i>Aleurites fordii</i>	
Benzoyloxy-ethyl-carbamic acid: A novel anticancerous secondary metabolite produced by <i>Streptomyces globosus</i> VITLKG011	411	Fatty and amino acid compositions of <i>Vernicia fordii</i> : a source of α -eleostearic acid and methionine	734
Activated charcoal		Algal lectin database	
<i>In vitro</i> propagation and genetic stability assessment of an endangered terrestrial jewel orchid <i>Anoectochilus elatus</i> Lindl.	853	New cell surface lectins with complex carbohydrate specificity from cyanobacteria	514
		Alkali soil	
		Fruit deformity in papaya: field screening, nutrient composition and amelioration by boron application	870
		D-Allulose	
		Biotransformation of banana pseudostem extract into a functional juice containing value added biomolecules of potential health benefits	453

<i>Allium sativum</i>		Antiangiogenic	
Effect of cardioprotective polyherbal formulation on isoproterenol induced myocardial infarction in experimental animals	357	Antitumor potential of herbomineral formulation against breast cancer: Involvement of inflammation and oxidative stress	680
<i>Aloe vera</i>		Antianxiety	
Safety evaluation of <i>Aloe vera</i> pulp aqueous extract based on histoarchitectural and biochemical alterations in mice	568	Neuropharmacological investigations on <i>Actaea acuminata</i> Wall. ex Royle roots	27
<i>Alpinia calcarata</i> Rosc.		Antibacterial activity	
Essential oil profiling of <i>Alpinia</i> species from southern India	776	Extracellular synthesis of silver nanoparticles by the fungus <i>Emericella nidulans</i> EV4 and its application	262
<i>Alpinia galanga</i>		Antibiofilm activity	
Essential oil profiling of <i>Alpinia</i> species from southern India	776	Optimization of pyroligneous acid production from palm kernel shell and its potential antibacterial and antibiofilm activities	427
<i>Alternaria</i>		Antibiotic resistance	
Characterization of phytotoxin producing <i>Alternaria</i> species isolated from sesame leaves and their toxicity	36	Evaluation of <i>Salmonella</i> Typhimurium biofilm against some antibiotics	562
<i>Alternaria alternata</i>		Anticancer activity	
Carotenoids extraction from <i>Rhodotorula glutinis</i> cells using various techniques: A comparative study	479	Antitumor potential of herbomineral formulation against breast cancer: Involvement of inflammation and oxidative stress	680
Alzheimer disease		<i>In vitro</i> macrophage activation: A technique for screening anti-inflammatory, immunomodulatory and anticancer activity of phytomolecules	133
Protective role of Krill oil against estrogen deficiency induced neurodegeneration in ovariectomized rats	279	Sodium butyrate induces p53 dependent and independent cell death in human brain tumor cells in primary culture <i>in vitro</i>	747
Therapeutic potentials of herbal drugs for Alzheimer's disease—An overview	63	agent	
Amplified Fragment Length Polymorphism (AFLP)		Optimization of process parameters for bioproduction, isolation and purification of 4- <i>Ipomeanol</i> from cell suspension cultures of <i>Ipomoea batatas</i> (L.) Lam.	191
Effect of discrete (individual) and mixed (bulk) genomic DNA on genetic diversity estimates and population structure in Teak (<i>Tectona grandis</i> L. f.)	44	applications	
AMY. See 1,4- α -D-Glucan glucanohydrolase		Conjugation, labeling and characterization of asparaginase bound silver nanoparticles for anticancer applications	421
Amylase		Anticonvulsant	
Process optimization for hyperproduction of 1,4- α -D-glucan glucanohydrolase from locally isolated <i>Bacillus subtilis</i> BBT6 under solid state fermentation	795	Neuropharmacological investigations on <i>Actaea acuminata</i> Wall. ex Royle roots	27
Amyloid beta		Antidepressant	
Therapeutic potentials of herbal drugs for Alzheimer's disease—An overview	63	Effects of maternal exposure to antidepressant fluoxetine on humoral immunity in rat pups	675
Amyloid precursor protein		Neuropharmacological investigations on <i>Actaea acuminata</i> Wall. ex Royle roots	27
Protective role of Krill oil against estrogen deficiency induced neurodegeneration in ovariectomized rats	279	Phytochemical investigation and exploration of CNS depressant efficacy of ethanolic root extract of <i>Cyperus kyllinga</i> Endl.	801
<i>Anabaena naviculoides</i>		Antiepileptic drug	
New cell surface lectins with complex carbohydrate specificity from cyanobacteria	514	Protective role of Edaravone against valproic acid induced changes in skin	286
<i>Anabaena torulosa</i>		Antihistamine	
New cell surface lectins with complex carbohydrate specificity from cyanobacteria	514	Pheniramine maleate attenuates oleic acid-induced acute respiratory distress syndrome in rats	351
<i>Anabaena variabilis</i>		Anti-inflammatory	
New cell surface lectins with complex carbohydrate specificity from cyanobacteria	514	Antitumor potential of herbomineral formulation against breast cancer: Involvement of inflammation and oxidative stress	680
<i>Andrographis paniculata</i>		Characterization of organic acids, sugars, antioxidant and anti-inflammatory activities of <i>Citrus reticulata</i> Blanco cv. Nagpur	604
Effect of cardioprotective polyherbal formulation on isoproterenol induced myocardial infarction in experimental animals	357		
<i>Anoectochilus elatus</i> Lindl.			
<i>In vitro</i> propagation and genetic stability assessment of an endangered terrestrial jewel orchid <i>Anoectochilus elatus</i> Lindl.	853		
Anthocyanidin			
<i>Pelargonidin</i> -PLGA nanoparticles: Fabrication, characterization, and their effect on streptozotocin-induced diabetic rats	819		

- In vitro* macrophage activation: A technique for screening anti-inflammatory, immunomodulatory and anticancer activity of phytochemicals 133
- Antimicrobial resistance
- Incidence and characterization of *Pseudomonas* species isolated from spoiled fresh produce 372
- Antioxidant(s)
- Anticataract potential of roots of *Boerhavia diffusa* on galactose induced cataractogenesis 838
- Antioxidant, photosynthesis and growth characteristics of plants grown in high sulphur coalmine overburden 151
- Antitumor potential of herbomineral formulation against breast cancer: Involvement of inflammation and oxidative stress 680
- Carotenoids extraction from *Rhodotorula glutinis* cells using various techniques: A comparative study 479
- Characterization of organic acids, sugars, antioxidant and anti-inflammatory activities of *Citrus reticulata* Blanco cv. Nagpur 604
- Conjugation, labeling and characterization of asparaginase bound silver nanoparticles for anticancer applications 421
- Effect of antioxidant protection system on regeneration potential of different chemotypes of *Withania somnifera* (L.) Dunal — A comparative analysis 242
- Hydroxyacetamide derivatives: cytotoxicity, genotoxicity, antioxidative and metal chelating studies 831
- In vitro* propagation and genetic stability assessment of an endangered terrestrial jewel orchid *Anoectochilus elatus* Lindl. 853
- Jatropha curcas* L. kernel prevents benzene induced clastogenicity, gene expression alteration and apoptosis in liver tissues of male rats 225
- Phytoextracts protect *Saccharomyces cerevisiae* from oxidative stress with simultaneous enhancement in bioremediation efficacy 469
- Protection of vitamin A and E against toxicity induced by hydroquinone 383
- Topical application of *Salvia officinalis* hydroethanolic leaf extract improves wound healing process 98
- Antioxidant enzymes
- Induced-expression of osmolyte biosynthesis pathway genes improves salt and oxidative stress tolerance in *Brassica* species 711
- Anti-QS agents
- Quorum sensing mediated virulence inhibition of an opportunistic human pathogen *Serratia marcescens* from unexplored marine sediment of Palk Bay through function driven metagenomic approach 448
- Antisecretory
- Protective effect of standardized extract of *Glycine max* seeds against experimentally induced gastroesophageal reflux disease in rats 768
- Antisnake venom serum (ASVS)
- Russell's viper venom induced nephrotoxicity, myotoxicity, and hepatotoxicity—Neutralization with gold nanoparticle conjugated 2-hydroxy-4-methoxy benzoic acid *in vivo* 7
- Antistress
- Neuropharmacological investigations on *Actaea acuminata* Wall. ex Royle roots 27
- Antiulcer activity
- Effect of *Delonix regia* (Boj. Ex Hook.) Raf. stem bark extract against experimentally induced ulcers in rats 49
- APAP. See Acetaminophen (APAP)
- Aphid, mustard
- Green synthesis of silver nanoparticles by entomopathogenic fungus *Beauveria bassiana* and their bioefficacy against mustard aphid (*Lipaphis erysimi* Kalt.) 555
- Apoptosis
- Differential expression of apoptotic proteins in seminiferous tubule cells of adult rats by neonatal exposure to 6-n propyl-2-thiouracil (PTU), a thyroid disrupting chemical 634
- Jatropha curcas* L. kernel prevents benzene induced clastogenicity, gene expression alteration and apoptosis in liver tissues of male rats 225
- Sodium butyrate induces p53 dependent and independent cell death in human brain tumor cells in primary culture *in vitro* 747
- Repressive effect of curcumin against 2-amino-3-methylimidazo [4,5-f] quinoline induced hepato- and immunotoxicity in mice 365
- Apple Malling
- RAPD analysis of long term micropropagated rootstock plants of Apple Malling 7 178
- Aquatic pollution
- Histopathological alterations in the gills of *Labeo rohita* (Hamilton-Buchanan) due to Lead toxicity 576
- Archaea, methanogenic
- Molecular diversity of methanogenic archaea and methane production potential of soil in relation to rice cultivars 506
- ARDS. See Acute respiratory distress syndrome (ARDS)
- Arginase isoforms
- Mitochondrial membrane-bound activity of arginase is independent of nitrogen excretion pattern in ureogenic and non-ureogenic vertebrates 74
- Aromatic amines, heterocyclic
- Repressive effect of curcumin against 2-amino-3-methylimidazo [4,5-f] quinoline induced hepato- and immunotoxicity in mice 365
- ars* genes
- Evaluation of arsenic removal potential of arsenic resistant bacteria with the role of physiological and genomic factors 251
- Arsenic toxicity
- Evaluation of arsenic removal potential of arsenic resistant bacteria with the role of physiological and genomic factors 251
- Arthritis
- Anti-inflammatory activity of cyclo oxygenase2 inhibitory anionic protein fraction from *Lamellidens marginalis* (Lamarck) 88
- Ascorbic acid
- Effect of supplemental ultraviolet-B radiation on *Withania somnifera* (L.) Dunal: An appraisal of morphological, physiological and biochemical characteristics 845
- Ash content
- Effect of alcohol on biochemical properties and thermal stability of weight bearing bones in male Wistar rats 761

Ashwagandha			
Effect of antioxidant protection system on regeneration potential of different chemotypes of <i>Withania somnifera</i> (L.) Dunal — A comparative analysis	242	<i>Bacillus subtilis</i>	Process optimization for hyperproduction of 1,4-alpha-D-glucan glucanohydrolase from locally isolated <i>Bacillus subtilis</i> BBT6 under solid state fermentation
Effect of supplemental ultraviolet-B radiation on <i>Withania somnifera</i> (L.) Dunal: An appraisal of morphological, physiological and biochemical characteristics	845	Bacterial wilt	Isolation, characterization and evaluation of the biocontrol potential of <i>Pseudomonas protegens</i> RS-9 against <i>Ralstonia solanacearum</i> in Tomato
Ashy Royleais		Badagas Dead space	Wound healing activity of <i>Celtis timorensis</i> Span. (Cannabaceae) leaf extract in Wistar albino rats
Antidiabetic and antioxidant activities of <i>Roylea cinerea</i> extracts: a comparative study	611	<i>Balanites aegyptiaca</i> Del	Physicochemical properties and toxicity test of <i>Prosopis juliflora</i> (Sw.) DC. and <i>Balanites aegyptiaca</i> Del gum exudates from Rajasthan
Asialofetuin		<i>Bambusa bambos</i>	<i>In vitro</i> flowering in <i>Bambusa bambos</i> (L.) Voss, an anatomical perspective
New cell surface lectins with complex carbohydrate specificity from cyanobacteria	514	Bark	Effect of <i>Delonix regia</i> (Boj. Ex Hook.) Raf. stem bark extract against experimentally induced ulcers in rats
<i>Asperagus racemosus</i>		Bax	Differential expression of apoptotic proteins in seminiferous tubule cells of adult rats by neonatal exposure to 6-n propyl-2-thiouracil (PTU), a thyroid disrupting chemical
Phytoextracts protect <i>Saccharomyces cerevisiae</i> from oxidative stress with simultaneous enhancement in bioremediation efficacy	469	Bcl-2	Differential expression of apoptotic proteins in seminiferous tubule cells of adult rats by neonatal exposure to 6-n propyl-2-thiouracil (PTU), a thyroid disrupting chemical
Astrocytomas		Bead mill extraction	Carotenoids extraction from <i>Rhodotorula glutinis</i> cells using various techniques: A comparative study
Sodium butyrate induces p53 dependent and independent cell death in human brain tumor cells in primary culture <i>in vitro</i>	747	<i>Beauveria bassiana</i>	Green synthesis of silver nanoparticles by entomopathogenic fungus <i>Beauveria bassiana</i> and their bioefficacy against mustard aphid (<i>Lipaphis erysimi</i> Kalt.)
Atrazine		Benne	Characterization of phytotoxin producing <i>Alternaria</i> species isolated from sesame leaves and their toxicity
Removal of Atrazine by coupling Fenton reaction with bioreactor in series	498	Benzene exposure	<i>Jatropha curcas</i> L. kernel prevents benzene induced clastogenicity, gene expression alteration and apoptosis in liver tissues of male rats
Auxin		Benzimidazole	Detached leaf assay for evaluating resistance to leaf rust <i>Pst.</i> 104-2 in wheat (<i>Triticum aestivum</i> L.)
Influence of plant growth regulators and light on callus induction and bioactive phenolic compounds production in <i>Pyrostegia venusta</i> (Bignoniaceae)	568	Benzoic acid	Influence of plant growth regulators and light on callus induction and bioactive phenolic compounds production in <i>Pyrostegia venusta</i> (Bignoniaceae)
Ayurveda		Benzoyloxy-ethyl-carbamic acid (BECA)	Benzoyloxy-ethyl-carbamic acid: A novel anticancerous secondary metabolite produced by <i>Streptomyces globosus</i> VITLKG011
Antitumor potential of herbomineral formulation against breast cancer: Involvement of inflammation and oxidative stress	680	Benzylaminopurine	Synergistic effect of silver nitrate and coconut water on shoot differentiation and plant regeneration from cultured cotyledons of <i>Capsicum annum</i> L.
Effect of <i>Tinospora cordifolia</i> (Guduchi) on the phagocytic and pinocytic activity of murine macrophages <i>in vitro</i>	21		
Phytochemical investigation and exploration of CNS depressant efficacy of ethanolic root extract of <i>Cyperus kyllinga</i> Endl.	801		
Phytoextracts protect <i>Saccharomyces cerevisiae</i> from oxidative stress with simultaneous enhancement in bioremediation efficacy	469		
Safety evaluation of <i>Aloe vera</i> pulp aqueous extract based on histoarchitectural and biochemical alterations in mice	568		
Ayurvedic therapy			
Safety assessment on chronic administration of <i>Swarna Bindu Prashan</i> — a popular Ayurvedic preparation of incinerated gold ash used as immune booster to children in southern India	217		
<i>Bacillus</i> sp.			
Production and characterization of microbial poly-glutamic acid from renewable resources	405		
thermotolerant			
Allelic variations in <i>dnaK</i> of thermotolerant bacilli inhabiting thermal springs	527		
<i>Bacillus pumilus</i>			
Spray drying as effective encapsulation method for phenol degrading bacteria	485		

- Betelvine
Effect of cardioprotective polyherbal formulation on isoproterenol induced myocardial infarction in experimental animals 357
- Bilirubin
Predictive factors of hyperbilirubinemia in newborns at University hospital in northern Iran 756
- Biocontrol
Isolation, characterization and evaluation of the biocontrol potential of *Pseudomonas protegens* RS-9 against *Ralstonia solanacearum* in Tomato 595
- Biodegradation
Crude oil degradation by *Pseudomonas aeruginosa* NCIM 5514: Influence of process parameters 493
Poly-b-hydroxybutyrate biodegradation by mixed culture population *vis-à-vis* single culture population under varying environmental conditions: A new approach 311
Removal of Atrazine by coupling Fenton reaction with bioreactor in series 498
Spray drying as effective encapsulation method for phenol degrading bacteria 485
- Biodiesel
Fatty and amino acid compositions of *Vernicia fordii*: a source of α -eleostearic acid and methionine 734
Dissolved inorganic carbonate sustain the growth, lipid and biomass yield of *Scenedesmus quadricauda* under nitrogen starved condition 702
- Bioethanol
Improved cellulase production by *Penicillium janthinellum* mutant 436
- Biofilm
Evaluation of *Salmonella* Typhimurium biofilm against some antibiotics 562
Optimization of pyroligneous acid production from palm kernel shell and its potential antibacterial and antibiofilm activities 427
- Bioherbicides
In vitro screening of foliar pathogens for biological control of Horse Purslane weed 389
- Bioleaching
Histopathological alterations in the gills of *Labeo rohita* (Hamilton-Buchanan) due to Lead toxicity 576
Removal of Atrazine by coupling Fenton reaction with bioreactor in series 498
- Biological control
In vitro screening of foliar pathogens for biological control of Horse Purslane weed 389
- Biomass
Biotransformation of banana pseudostem extract into a functional juice containing value added biomolecules of potential health benefits 453
Dissolved inorganic carbonate sustain the growth, lipid and biomass yield of *Scenedesmus quadricauda* under nitrogen starved condition 702
- Bioreactor
Improved cellulase production by *Penicillium janthinellum* mutant 436
- Bioremediation
Antioxidant, photosynthesis and growth characteristics of plants grown in high sulphur coalmine overburden 151
Phytoextracts protect *Saccharomyces cerevisiae* from oxidative stress with simultaneous enhancement in bioremediation efficacy 469
Poly-b-hydroxybutyrate biodegradation by mixed culture population *vis-à-vis* single culture population under varying environmental conditions: A new approach 311
Protective role of *Trichoderma logibrachiatum* (WT2) on Lead induced oxidative stress in *Helianthus annuus* L. 235
Spray drying as effective encapsulation method for phenol degrading bacteria 485
- Biuret test
Removal of Atrazine by coupling Fenton reaction with bioreactor in series 498
- Bivalve
Anti-inflammatory activity of cyclo-oxygenase2 inhibitory anionic protein fraction from *Lamellidens marginalis* (Lamarck) 88
- Blood cancer
Recurrent chromosomal translocations: Is proximity a rule? 15
- Boerhavia diffusa*
Antitumor potential of herbomineral formulation against breast cancer: Involvement of inflammation and oxidative stress 680
Effect of cardioprotective polyherbal formulation on isoproterenol induced myocardial infarction in experimental animals 357
- Bone jointer/healing
Pharmacognostical evaluation of Indian folk-traditional plants *Coelogyne cristata* and *Pholidota articulata* used for healing fractures 622
- Borneol
Essential oil profiling of *Alpinia* species from southern India 776
- Boron
Boron and calcium chloride as possible ameliorators of fluoride toxicity in Wistar rats 864
Tolerance to combined boron and salt stress in wheat varieties: Biochemical and molecular analyses 321
deficiency
Fruit deformity in papaya: field screening, nutrient composition and amelioration by boron application 870
- Botrytis cinerea*
Carotenoids extraction from *Rhodotorula glutinis* cells using various techniques: A comparative study 479
- BPT 5204
Molecular diversity of methanogenic archaea and methane production potential of soil in relation to rice cultivars 506
- Brassica* sp.
Induced-expression of osmolyte biosynthesis pathway genes improves salt and oxidative stress tolerance in *Brassica* species 711
- Brassica campestris*
Green synthesis of silver nanoparticles by entomopathogenic fungus *Beauveria bassiana* and their bioefficacy against mustard aphid (*Lipaphis erysimi* Kalt.) 555

<i>Brassica juncea</i>		Camphene	
Expression analysis of candidate genes for abiotic stress tolerance in <i>Brassica</i> genotypes with contrasting osmotic stress tolerance	333	Essential oil profiling of <i>Alpinia</i> species from southern India	776
Broth macrodilution (BMD)		Camphor	
Susceptibility and comparative bioassay study for determination of fluconazole concentrations in <i>Candida</i> spp. by broth macrodilution and disc diffusion methods	377	Essential oil profiling of <i>Alpinia</i> species from southern India	776
Brown rust		Cancer. <i>See also</i> Anticancer	
Detached leaf assay for evaluating resistance to leaf rust <i>Pst.</i> 104-2 in wheat (<i>Triticum aestivum</i> L.)	789	Optimization of process parameters for bioproduction, isolation and purification of 4- <i>Ipomeanol</i> from cell suspension cultures of <i>Ipomoea batatas</i> (L.) Lam.	191
Brucellosis		Sodium butyrate induces p53 dependent and independent cell death in human brain tumor cells in primary culture <i>in vitro</i>	747
A new bacteriophage based luminescence assay for diagnosis of brucellosis	296	Blood/Leukemia	
Brucellaphage		Recurrent chromosomal translocations: Is proximity a rule?	15
A new bacteriophage based luminescence assay for diagnosis of brucellosis	296	<i>In vitro</i> macrophage activation: A technique for screening anti-inflammatory, immunomodulatory and anticancer activity of phytomolecules	133
<i>Brugia malayi</i> recombinant cystatin		Breast	
Evaluation of preventive effect of <i>Brugia malayi</i> recombinant cystatin on mBSA-induced experimental arthritis	655	Antitumor potential of herbomineral formulation against breast cancer: Involvement of inflammation and oxidative stress	680
<i>Bt</i> resistance		Cancer therapy	
Biological traits associated with Cry1Ac resistance in <i>Helicoverpa armigera</i> (Lepidoptera: Noctuidae)	722	Conjugation, labeling and characterization of asparaginase bound silver nanoparticles for anticancer applications	421
Frequency of alleles conferring resistance to Cry1Ac toxin of <i>Bacillus thuringiensis</i> in population of <i>Helicoverpa armigera</i> (Hübner) (Lepidoptera: Noctuidae) from India	728	<i>Candida</i> spp.	
Bulking		Susceptibility and comparative bioassay study for determination of fluconazole concentrations in <i>Candida</i> spp. by broth macrodilution and disc diffusion methods	377
Effect of discrete (individual) and mixed (bulk) genomic DNA on genetic diversity estimates and population structure in Teak (<i>Tectona grandis</i> L. f.)	44	<i>Capsicum annuum</i>	
<i>Burkholderia gladioli</i>		Synergistic effect of silver nitrate and coconut water on shoot differentiation and plant regeneration from cultured cotyledons of <i>Capsicum annuum</i> L.	184
Isolation of bacterial strains possessing nitrogen-fixation, phosphate and potassium-solubilization and their inoculation effects on sugarcane	161	Carbenicillin	
Burma creeper		Incidence and characterization of <i>Pseudomonas</i> species isolated from spoiled fresh produce	372
Effect of ethanolic extract of <i>Quisqualis indica</i> L. flower on experimental esophagitis in albino Wistar rats	122	Carbohydrate recognition domains (CRD)	
Caffeic acid		New cell surface lectins with complex carbohydrate specificity from cyanobacteria	514
Influence of plant growth regulators and light on callus induction and bioactive phenolic compounds production in <i>Pyrostegia venusta</i> (Bignoniaceae)	584	Carbon source	
Calcium chloride		Dissolved inorganic carbonate sustain the growth, lipid and biomass yield of <i>Scenedesmus quadricauda</i> under nitrogen starved condition	702
Boron and calcium chloride as possible ameliorators of fluoride toxicity in Wistar rats	864	Carcinogenesis, mammary. <i>See also</i> Cancer, Tumor	
Callogenesis		Antitumor potential of herbomineral formulation against breast cancer: Involvement of inflammation and oxidative stress	680
Influence of plant growth regulators and light on callus induction and bioactive phenolic compounds production in <i>Pyrostegia venusta</i> (Bignoniaceae)	584	Cardiovascular diseases (CVD)	
Callus		Effect of cardioprotective polyherbal formulation on isoproterenol induced myocardial infarction in experimental animals	357
<i>In vitro</i> screening of calli of mungbean to cercosporin, a photoactivated toxin culture	113	<i>Carica papaya</i>	
Optimization of process parameters for bioproduction, isolation and purification of 4- <i>Ipomeanol</i> from cell suspension cultures of <i>Ipomoea batatas</i> (L.) Lam.	191	Fruit deformity in papaya: field screening, nutrient composition and amelioration by boron application	870
<i>Calotes versicolor</i>		Carotenoids	
Mitochondrial membrane-bound activity of arginase is independent of nitrogen excretion pattern in ureogenic and non-ureogenic vertebrates	74	Carotenoids extraction from <i>Rhodotorula glutinis</i> cells using various techniques: A comparative study	479
		Caseinase	
		Quorum sensing mediated virulence inhibition of an opportunistic human pathogen <i>Serratia marcescens</i>	448

- from unexplored marine sediment of Palk Bay through function driven metagenomic approach
- Caspase-3
Differential expression of apoptotic proteins in seminiferous tubule cells of adult rats by neonatal exposure to 6-n propyl-2-thiouracil (PTU), a thyroid disrupting chemical 634
- Cassia sofera* L.
Antioxidant, photosynthesis and growth characteristics of plants grown in high sulphur coalmine overburden 151
- Catalase (CAT)
In vitro screening of calli of mungbean to cercosporin, a photoactivated toxin 113
- Cataract
Anticataract potential of roots of *Boerhavia diffusa* on galactose induced cataractogenesis 838
- Catharanthus roseus*
Wounding activates a 47 kDa MAP kinase in *Catharanthus roseus* (L.) G. Don. 107
- Catla catla*
Reaction of sera of cultivable fishes in India with monoclonal antibody to immunoglobulin of Rohu (*Labeo rohita*) in immunodot 292
- Cell disruption
Carotenoids extraction from *Rhodotorula glutinis* cells using various techniques: A comparative study 479
- Celtis timorensis*
Wound healing activity of *Celtis timorensis* Span. (Cannabaceae) leaf extract in Wistar albino rats 688
- Centella asiatica*
Phytoextracts protect *Saccharomyces cerevisiae* from oxidative stress with simultaneous enhancement in bioremediation efficacy 469
- Cercospora canescens*
In vitro screening of calli of mungbean to cercosporin, a photoactivated toxin 113
- Cercosporin
In vitro screening of calli of mungbean to cercosporin, a photoactivated toxin 113
- CH₄ production
Molecular diversity of methanogenic archaea and methane production potential of soil in relation to rice cultivars 506
- Chavicol
Essential oil profiling of *Alpinia* species from southern India 776
- Chemokines
In vitro macrophage activation: A technique for screening anti-inflammatory, immunomodulatory and anticancer activity of phytomolecules 133
- Chilli pepper
Synergistic effect of silver nitrate and coconut water on shoot differentiation and plant regeneration from cultured cotyledons of *Capsicum annum* L. 184
- Chinese Honeysuckle
Effect of ethanolic extract of *Quisqualis indica* L. flower on experimental esophagitis in albino Wistar rats 122
- Chitin
Evaluation of *Salmonella* Typhimurium biofilm against some antibiotics 562
- Chloramphenicol
Incidence and characterization of *Pseudomonas* species isolated from spoilt fresh produce 372
- Chlorophyll
Effect of supplemental ultraviolet-B radiation on *Withania somnifera* (L.) Dunal: An appraisal of morphological, physiological and biochemical characteristics 845
- Chromobacterium violaceum*
Production of bacterial pigments in low cost medium and formulation of biodegradable ink 441
- Chromosome territories
Recurrent chromosomal translocations: Is proximity a rule? 15
- 1,8-Cineole
Essential oil profiling of *Alpinia* species from southern India 776
- Cirrhinus mrigala*
Reaction of sera of cultivable fishes in India with monoclonal antibody to immunoglobulin of Rohu (*Labeo rohita*) in immunodot 292
- Citronella grass
Antioxidant, photosynthesis and growth characteristics of plants grown in high sulphur coalmine overburden 151
- Citrus reticulata*
Characterization of organic acids, sugars, antioxidant and anti-inflammatory activities of *Citrus reticulata* Blanco cv. Nagpur 604
- Clarias batrachus*
Reaction of sera of cultivable fishes in India with monoclonal antibody to immunoglobulin of Rohu (*Labeo rohita*) in immunodot 292
- Clastogenicity
Jatropha curcas L. kernel prevents benzene induced clastogenicity, gene expression alteration and apoptosis in liver tissues of male rats 225
- CNS activity
Neuropharmacological investigations on *Actaea acuminata* Wall. ex Royle roots 27
- Coal mine
Antioxidant, photosynthesis and growth characteristics of plants grown in high sulphur coalmine overburden 151
- Coconut water
Synergistic effect of silver nitrate and coconut water on shoot differentiation and plant regeneration from cultured cotyledons of *Capsicum annum* L. 184
- Cognitive decline
Protective role of Krill oil against estrogen deficiency induced neurodegeneration in ovariectomized rats 279
- Cold stress
Exogenous expression of ACC deaminase gene in psychrotolerant bacteria alleviates chilling stress and promotes plant growth in millets under chilling conditions 463
- Collagen coat
Thickness and biopolymer coat standardization for culture of MCF7 cells on polydimethylsiloxane (PDMS) surface and off-chip retrieval of methacrylated gelatin gel from PDMS 665
- Colletotrichum gloeosporioides*
Carotenoids extraction from *Rhodotorula glutinis* cells using various techniques: A comparative study 479

Common Sage			
Topical application of <i>Salvia officinalis</i> hydroethanolic leaf extract improves wound healing process	98	Curcumin	
Complement system		Repressive effect of curcumin against 2-amino-3-methylimidazo [4,5-f] quinoline induced hepato- and immunotoxicity in mice	365
Effect of aqueous extracts of <i>Enicostema axillare</i> and <i>Toddalia asiatica</i> on complement system alternative pathway activity	628	CVD. <i>See</i> Cardiovascular diseases (CVD)	
Conservation		Cyclization inhibitors	
<i>In vitro</i> propagation and genetic stability assessment of an endangered terrestrial jewel orchid <i>Anoectochilus elatus</i> Lindl.	853	Carotenoids extraction from <i>Rhodotorula glutinis</i> cells using various techniques: A comparative study	479
Corn steep liquor (CSL)		<i>Cymbopogon citrates</i>	
Improved cellulase production by <i>Penicillium janthinellum</i> mutant	436	Antioxidant, photosynthesis and growth characteristics of plants grown in high sulphur coalmine overburden	151
Cortisol		<i>Cymbopogon winterianus</i>	
Effects of chronic prepubertal stress on serum level of kisspeptin and histopathological changes in the kidney of the male rat	344	Antioxidant, photosynthesis and growth characteristics of plants grown in high sulphur coalmine overburden	151
Cosmetics		CYP1A2	
Protection of vitamin A and E against toxicity induced by hydroquinone	383	<i>Jatropha curcas</i> L. kernel prevents benzene induced clastogenicity, gene expression alteration and apoptosis in liver tissues of male rats	225
Safety evaluation of Aloe vera pulp aqueous extract based on histoarchitectural and biochemical alterations in mice	568	<i>Cyperus kyllinga</i>	
Cotton bollworm		Phytochemical investigation and exploration of CNS depressant efficacy of ethanolic root extract of <i>Cyperus kyllinga</i> Endl.	801
Biological traits associated with Cry1Ac resistance in <i>Helicoverpa armigera</i> (Lepidoptera: Noctuidae)	722	<i>Cyprinus carpio</i>	
Frequency of alleles conferring resistance to Cry1Ac toxin of <i>Bacillus thuringiensis</i> in population of <i>Helicoverpa armigera</i> (Hübner) (Lepidoptera: Noctuidae) from India	728	Reaction of sera of cultivable fishes in India with monoclonal antibody to immunoglobulin of Rohu (<i>Labeo rohita</i>) in immunodot	292
COX2		Cytokines	
Anti-inflammatory activity of cyclo-oxygenase2 inhibitory anionic protein fraction from <i>Lamellidens marginalis</i> (Lamarck)	88	<i>In vitro</i> macrophage activation: A technique for screening anti-inflammatory, immunomodulatory and anticancer activity of phytomolecules	133
CRD. <i>See</i> Carbohydrate recognition domains (CRD)		Repressive effect of curcumin against 2-amino-3-methylimidazo [4,5-f] quinoline induced hepato- and immunotoxicity in mice	365
Critical bone defect (CSD)		Cytokinin	
Isolation, proliferation, characterization and <i>in vivo</i> osteogenic potential of bonemarrow derived mesenchymal stem cells (rBMSC) in rabbit model	79	Influence of plant growth regulators and light on callus induction and bioactive phenolic compounds production in <i>Pyrostegia venusta</i> (Bignoniaceae)	584
Cross reactivity		Cytotoxic	
Reaction of sera of cultivable fishes in India with monoclonal antibody to immunoglobulin of Rohu (<i>Labeo rohita</i>) in immunodot	292	Hydroxyacetamide derivatives: Cytotoxicity, genotoxicity, antioxidative and metal chelating studies	831
Cruel capsule		<i>Daboia russelli russelli</i>	
Antitumor potential of herbomineral formulation against breast cancer: Involvement of inflammation and oxidative stress	680	Russell's viper venom induced nephrotoxicity, myotoxicity, and hepatotoxicity—Neutralization with gold nanoparticle conjugated 2-hydroxy-4-methoxy benzoic acid <i>in vivo</i>	7
Cry1Ac		<i>Dalbergia sisso</i>	
Biological traits associated with Cry1Ac resistance in <i>Helicoverpa armigera</i> (Lepidoptera: Noctuidae)	722	Antioxidant, photosynthesis and growth characteristics of plants grown in high sulphur coalmine overburden	151
Frequency of alleles conferring resistance to Cry1Ac toxin of <i>Bacillus thuringiensis</i> in population of <i>Helicoverpa armigera</i> (Hübner) (Lepidoptera: Noctuidae) from India	728	<i>Danio rerio</i> . <i>See also</i> Zebrafish	
Culture media		Protective role of heptametoxyflavone against acetaminophen induced hepatotoxicity in zebrafish	805
Evaluation of <i>Salmonella</i> Typhimurium biofilm against some antibiotics	562	Decolourization	
<i>Curcuma longa</i>		Phytoextracts protect <i>Saccharomyces cerevisiae</i> from oxidative stress with simultaneous enhancement in bioremediation efficacy	469
Repressive effect of curcumin against 2-amino-3-methylimidazo [4,5-f] quinoline induced hepato- and immunotoxicity in mice	365	<i>Delonix regia</i>	
		Effect of <i>Delonix regia</i> (Boj. Ex Hook.) Raf. stem bark extract against experimentally induced ulcers in rats	49

- Deltamethrin
Long term exposure to deltamethrin causes a dual effect on plasma membrane Ca²⁺-ATPase activity and reduces its mRNA levels in human lymphocytes 271
- Depression
Phytochemical investigation and exploration of CNS depressant efficacy of ethanolic root extract of *Cyperus kyllinga* Endl. 801
- Deproteinization
Purification and characterization of highly active LasB protease from *Pseudomonas aeruginosa* MCCB 123 303
- Dermal. *See also* Skin
Protection of vitamin A and E against toxicity induced by hydroquinone 383
- Desert date
Physicochemical properties and toxicity test of *Prosopis juliflora* (Sw.) DC. and *Balanites aegyptiaca* Del gum exudates from Rajasthan 782
- Desmonostoc muscorum*
New cell surface lectins with complex carbohydrate specificity from cyanobacteria 514
- Detergent
Purification and characterization of highly active LasB protease from *Pseudomonas aeruginosa* MCCB 123 303
- Dhaincha
Antioxidant, photosynthesis and growth characteristics of plants grown in high sulphur coalmine overburden 151
- Diabetes mellitus (DM). *See also* Hyperglycemia
Antidiabetic and antioxidant activities of *Roylea cinerea* extracts: a comparative study 611
Pelargonidin-PLGA nanoparticles: Fabrication, characterization, and their effect on streptozotocin-induced diabetic rats 819
Short-term extracellular glucose exposure alters neurite outgrowth and intracellular reactive oxygen species without altering viability in neuronal cells 648
Type 2
Dietary ginger improves glucose dysregulation in a long-term high-fat high-fructose fed prediabetic rat model 142
- Diarrhoea
Real-Time PCR assay and for identification of diarrheagenic *Escherichia coli* in paediatric population 876
- Diet
Dietary ginger improves glucose dysregulation in a long-term high-fat high-fructose fed prediabetic rat model 142
- Differentiation
Isolation, proliferation, characterization and *in vivo* osteogenic potential of bonemarrow derived mesenchymal stem cells (rBMSC) in rabbit model 79
- Dimethylbenz[a]anthracene
Antitumor potential of herbomineral formulation against breast cancer: Involvement of inflammation and oxidative stress 680
- Disc-diffusion (DDT)
Susceptibility and comparative bioassay study for determination of fluconazole concentrations in *Candida* spp. by broth macrodilution and disc diffusion methods 377
- Dissolved inorganic carbon (DIC)
Dissolved inorganic carbonate sustain the growth, lipid and biomass yield of *Scenedesmus quadricauda* under nitrogen starved condition 702
- DMEM (Dulbecco's Modified Eagle's media)
Isolation, proliferation, characterization and *in vivo* osteogenic potential of bonemarrow derived mesenchymal stem cells (rBMSC) in rabbit model 79
- dnaK*
Allelic variations in *dnaK* of thermotolerant bacilli inhabiting thermal springs 527
- Dopamine
Protective role of Krill oil against estrogen deficiency induced neurodegeneration in ovariectomized rats 279
- DPPH assay
Antidiabetic and antioxidant activities of *Roylea cinerea* extracts: a comparative study 611
- DRG neurons
Short-term extracellular glucose exposure alters neurite outgrowth and intracellular reactive oxygen species without altering viability in neuronal cells 648
- Drought
Expression analysis of candidate genes for abiotic stress tolerance in *Brassica* genotypes with contrasting osmotic stress tolerance 333
- Drug delivery
Conjugation, labeling and characterization of asparaginase bound silver nanoparticles for anticancer applications 421
Pelargonidin-PLGA nanoparticles: Fabrication, characterization, and their effect on streptozotocin-induced diabetic rats 819
- Drumstick tree. *See also* *Moringa*
Effect of cardioprotective polyherbal formulation on isoproterenol induced myocardial infarction in experimental animals 357
- Drying ingredient
Fatty and amino acid compositions of *Vernicia fordii*: a source of α -eleostearic acid and methionine 734
- Dyes
Production of bacterial pigments in low cost medium and formulation of biodegradable ink 441
- Eastern Ghats
In vitro propagation and genetic stability assessment of an endangered terrestrial jewel orchid *Anoectochilus elatus* Lindl. 853
- Edaravone
Protective role of Edaravone against valproic acid induced changes in skin 286
- Electron microscopy
Extracellular synthesis of silver nanoparticles by the fungus *Emericella nidulans* EV4 and its application 262
- α -Eleostearic acid
Fatty and amino acid compositions of *Vernicia fordii*: a source of α -eleostearic acid and methionine 734
- Emericella nidulans* EV4
Extracellular synthesis of silver nanoparticles by the fungus *Emericella nidulans* EV4 and its application 262
- Encapsulation
Pelargonidin-PLGA nanoparticles: Fabrication, characterization, and their effect on streptozotocin-induced diabetic rats 819
Spray drying as effective encapsulation method for phenol degrading bacteria 485

Endogeneous ethylene			
Exogenous expression of ACC deaminase gene in psychrotolerant bacteria alleviates chilling stress and promotes plant growth in millets under chilling conditions	463		
<i>Enicostema axillare</i>			
Effect of aqueous extracts of <i>Enicostema axillare</i> and <i>Toddalia asiatica</i> on complement system alternative pathway activity	628		
Epithelization			
Wound healing activity of <i>Celtis timorensis</i> Span. (Cannabaceae) leaf extract in Wistar albino rats	688		
Esophagitis, experimental			
Effect of ethanolic extract of <i>Quisqualis indica</i> L. flower on experimental esophagitis in albino Wistar rats	122		
Estrogen			
Protective role of Krill oil against estrogen deficiency induced neurodegeneration in ovariectomized rats	279		
Ethylene			
Exogenous expression of ACC deaminase gene in psychrotolerant bacteria alleviates chilling stress and promotes plant growth in millets under chilling conditions	463		
<i>Europlus suratensis</i>			
Reaction of sera of cultivable fishes in India with monoclonal antibody to immunoglobulin of Rohu (<i>Labeo rohita</i>) in immunodot	292		
Eugenol			
Essential oil profiling of <i>Alpinia</i> species from southern India	776		
<i>Euplotes</i> sp.			
Influence of copper and cadmium toxicity on antioxidant enzyme activity	694		
Explant			
Synergistic effect of silver nitrate and coconut water on shoot differentiation and plant regeneration from cultured cotyledons of <i>Capsicum annum</i> L.	184		
Extremophiles			
Allelic variations in <i>dnaK</i> of thermotolerant bacilli inhabiting thermal springs	527		
F2 screen			
Frequency of alleles conferring resistance to Cry1Ac toxin of <i>Bacillus thuringiensis</i> in population of <i>Helicoverpa armigera</i> (Hübner) (Lepidoptera: Noctuidae) from India	728		
Factor B			
Effect of aqueous extracts of <i>Enicostema axillare</i> and <i>Toddalia asiatica</i> on complement system alternative pathway activity	628		
FAME profile			
Dissolved inorganic carbonate sustain the growth, lipid and biomass yield of <i>Scenedesmus quadricauda</i> under nitrogen starved condition	702		
β -Farnesene			
Essential oil profiling of <i>Alpinia</i> species from southern India	776		
Fatty acid desaturase (<i>FAD7</i>) gene			
Silencing of fatty acid desaturase (<i>FAD7</i>) gene enhances membrane stability and photosynthetic efficiency under heat stress in tobacco (<i>Nicotiana benthamiana</i>)	532		
α -Fenchyl acetate			
Essential oil profiling of <i>Alpinia</i> species from southern India	776		
Finger millet			
Exogenous expression of ACC deaminase gene in psychrotolerant bacteria alleviates chilling stress and promotes plant growth in millets under chilling conditions	463		
FISH (Fluorescence In Situ Hybridization)			
Recurrent chromosomal translocations: Is proximity a rule?	15		
Flamevine			
Influence of plant growth regulators and light on callus induction and bioactive phenolic compounds production in <i>Pyrostegia venusta</i> (Bignoniaceae)	584		
Flavonoids			
Effect of ethanolic extract of <i>Quisqualis indica</i> L. flower on experimental esophagitis in albino Wistar rats	122		
Influence of plant growth regulators and light on callus induction and bioactive phenolic compounds production in <i>Pyrostegia venusta</i> (Bignoniaceae)	584		
Pelargonidin-PLGA nanoparticles: Fabrication, characterization, and their effect on streptozotocin-induced diabetic rats	819		
Floral traits			
Correlation between selected morphological floral characters and yield components related traits in <i>Oryza sativa</i> L.	642		
Fluconazole			
Susceptibility and comparative bioassay study for determination of fluconazole concentrations in <i>Candida</i> spp. by broth macrodilution and disc diffusion methods	377		
Fluorosis			
Boron and calcium chloride as possible ameliorators of fluoride toxicity in Wistar rats	864		
Fluoxetine			
Effects of maternal exposure to antidepressant on humoral immunity in rat pups	675		
FLZ. See Fluconazole			
Food-borne diseases			
Incidence and characterization of <i>Pseudomonas</i> species isolated from spoiled fresh produce	372		
Forest flame			
Effect of <i>Delonix regia</i> (Boj. Ex Hook.) Raf. stem bark extract against experimentally induced ulcers in rats	49		
Foxtail millet			
Exogenous expression of ACC deaminase gene in psychrotolerant bacteria alleviates chilling stress and promotes plant growth in millets under chilling conditions	463		
Fracture healing			
Isolation, proliferation, characterization and <i>in vivo</i> osteogenic potential of bonemarrow derived mesenchymal stem cells (rBMSC) in rabbit model	79		
FRAP			
Antidiabetic and antioxidant activities of <i>Roylea cinerea</i> extracts: a comparative study	611		
Free radical scavenging			
<i>Jatropha curcas</i> L. kernel prevents benzene induced clastogenicity, gene expression alteration and apoptosis in liver tissues of male rats	225		

- Freshwater mussel
Anti-inflammatory activity of cyclo-oxygenase2 inhibitory anionic protein fraction from *Lamellidens marginalis* (Lamarck) 88
- Fruit deformity
Fruit deformity in papaya: field screening, nutrient composition and amelioration by boron application 870
- FTIR
Green synthesis of silver nanoparticles by entomopathogenic fungus *Beauveria bassiana* and their bioefficacy against mustard aphid (*Lipaphis erysimi* Kalt.) 555
- Fungal toxin
Characterization of phytotoxin producing *Alternaria* species isolated from sesame leaves and their toxicity 36
- Fungi
Extracellular synthesis of silver nanoparticles by the fungus *Emericella nidulans* EV4 and its application 262
In vitro screening of foliar pathogens for biological control of Horse Purslane weed 389
- Fusarium oxysporum*
Carotenoids extraction from *Rhodotorula glutinis* cells using various techniques: A comparative study 479
- Galactitol
Anticataract potential of roots of *Boerhavia diffusa* on galactose induced cataractogenesis 838
- Gallic acid
Influence of plant growth regulators and light on callus induction and bioactive phenolic compounds production in *Pyrostegia venusta* (Bignoniaceae) 584
- Gallus gallus*
Mitochondrial membrane-bound activity of arginase is independent of nitrogen excretion pattern in ureogenic and non-ureogenic vertebrates 74
- Gamma-radiation
Protective role of Krill oil against estrogen deficiency induced neurodegeneration in ovariectomized rats 279
- Garden-lizard
Mitochondrial membrane-bound activity of arginase is independent of nitrogen excretion pattern in ureogenic and non-ureogenic vertebrates 74
- Garlic
Effect of cardioprotective polyherbal formulation on isoproterenol induced myocardial infarction in experimental animals 357
- Gastroesophageal reflux disease (GERD)
Effect of ethanolic extract of *Quisqualis indica* L. flower on experimental esophagitis in albino Wistar rats 122
Protective effect of standardized extract of *Glycine max* seeds against experimentally induced gastroesophageal reflux disease in rats 768
- GBM. *See* Glioblastoma multiforme (GBM)
- Gelatin coat
Thickness and biopolymer coat standardization for culture of MCF7 cells on polydimethylsiloxane (PDMS) surface and off-chip retrieval of methacrylated gelatin gel from PDMS 665
- Gene expression
Expression analysis of candidate genes for abiotic stress tolerance in *Brassica* genotypes with contrasting osmotic stress tolerance 333
- Induced-expression of osmolyte biosynthesis pathway genes improves salt and oxidative stress tolerance in *Brassica* species 711
Jatropha curcas L. kernel prevents benzene induced clastogenicity, gene expression alteration and apoptosis in liver tissues of male rats 225
- Gene silencing
Silencing of fatty acid desaturase (*FAD7*) gene enhances membrane stability and photosynthetic efficiency under heat stress in tobacco (*Nicotiana benthamiana*) 532
- Genes, nuclear location of
Recurrent chromosomal translocations: Is proximity a rule? 15
- Genetic diversity
Effect of discrete (individual) and mixed (bulk) genomic DNA on genetic diversity estimates and population structure in Teak (*Tectona grandis* L. f.) 44
- Genetic proximity
Recurrent chromosomal translocations: Is proximity a rule? 15
- Genetic stability
RAPD analysis of long term micropropagated rootstock plants of Apple Malling 7 178
- Genomic uniformity
In vitro propagation and genetic stability assessment of an endangered terrestrial jewel orchid *Anoectochilus elatus* Lindl. 853
- Genotoxicity
Hydroxyacetamide derivatives: cytotoxicity, genotoxicity, antioxidative and metal chelating studies 831
Jatropha curcas L. kernel prevents benzene induced clastogenicity, gene expression alteration and apoptosis in liver tissues of male rats 225
- GERD. *See* Gastroesophageal reflux disease (GERD)
- Ghee, Honey
Safety assessment on chronic administration of *Swarna Bindu Prashan*— a popular Ayurvedic preparation of incinerated gold ash used as immune booster to children in southern India 217
- Gibbago trianthemae*
In vitro screening of foliar pathogens for biological control of Horse Purslane weed 389
- Gibberellic acid
Synergistic effect of silver nitrate and coconut water on shoot differentiation and plant regeneration from cultured cotyledons of *Capsicum annuum* L. 184
- Ginger
Dietary ginger improves glucose dysregulation in a long-term high-fat high-fructose fed prediabetic rat model 142
- Gingili
Characterization of phytotoxin producing *Alternaria* species isolated from sesame leaves and their toxicity 36
- Glioblastoma multiforme (GBM)
Sodium butyrate induces p53 dependent and independent cell death in human brain tumor cells in primary culture *in vitro* 747
- 1,4-alpha-D-Glucan glucanohydrolase (AMY)
Process optimization for hyperproduction of 1,4-alpha-D-glucan glucanohydrolase from locally isolated *Bacillus subtilis* BBT6 under solid state fermentation 795

Glucocorticoids		Gum	
Effects of chronic prepubertal stress on serum level of kisspeptin and histopathological changes in the kidney of the male rat	344	Physicochemical properties and toxicity test of <i>Prosopis juliflora</i> (Sw.) DC. and <i>Balanites aegyptiaca</i> Del gum exudates from Rajasthan	782
Glucooligosaccharides		H2DCF-DA	
Biotransformation of banana pseudostem extract into a functional juice containing value added biomolecules of potential health benefits	453	Short-term extracellular glucose exposure alters neurite outgrowth and intracellular reactive oxygen species without altering viability in neuronal cells	648
Glucose		Hadjojen	
Short-term extracellular glucose exposure alters neurite outgrowth and intracellular reactive oxygen species without altering viability in neuronal cells	648	Pharmacognostical evaluation of Indian folk-traditional plants <i>Coelogyne cristata</i> and <i>Pholidota articulata</i> used for healing fractures	622
dysregulation		Haemagglutination	
Dietary ginger improves glucose dysregulation in a long-term high-fat high-fructose fed prediabetic rat model	142	New cell surface lectins with complex carbohydrate specificity from cyanobacteria	514
<i>Glycyrrhiza glabra</i>		Haemolytic activity	
Antitumor potential of herbomineral formulation against breast cancer: Involvement of inflammation and oxidative stress	680	Effect of aqueous extracts of <i>Enicostema axillare</i> and <i>Toddalia asiatica</i> on complement system alternative pathway activity	628
Gold ash incinerated		Heat stress	
Safety assessment on chronic administration of <i>Swarna Bindu Prashan</i> — a popular Ayurvedic preparation of incinerated gold ash used as immune booster to children in southern India	217	Allelic variations in <i>dnaK</i> of thermotolerant bacilli inhabiting thermal springs	527
Gomari		Silencing of fatty acid desaturase (<i>FAD7</i>) gene enhances membrane stability and photosynthetic efficiency under heat stress in tobacco (<i>Nicotiana benthamiana</i>)	532
Antioxidant, photosynthesis and growth characteristics of plants grown in high sulphur coalmine overburden	151	Heavy metal	
Granuloma tissue		Histopathological alterations in the gills of <i>Labeo rohita</i> (Hamilton-Buchanan) due to Lead toxicity	576
Wound healing activity of <i>Celtis timorensis</i> Span. (Cannabaceae) leaf extract in Wistar albino rats	688	Influence of copper and cadmium toxicity on antioxidant enzyme activity	694
Great Rann of Kachchh		Protective role of <i>Trichoderma logibrachiatum</i> (WT2) on Lead induced oxidative stress in <i>Helianthus annuus</i> L.	235
Pattern of salt accumulation and its impact on salinity tolerance in two halophyte grasses in extreme saline desert in India	542	<i>Helianthus annuus</i>	
Greater galangal		Protective role of <i>Trichoderma logibrachiatum</i> (WT2) on Lead induced oxidative stress in <i>Helianthus annuus</i> L.	235
Essential oil profiling of <i>Alpinia</i> species from southern India	776	<i>Helicoverpa armiger</i>	
Green chiretta		Biological traits associated with Cry1Ac resistance in <i>Helicoverpa armigera</i> (Lepidoptera: Noctuidae)	722
Effect of cardioprotective polyherbal formulation on isoproterenol induced myocardial infarction in experimental animals	357	Frequency of alleles conferring resistance to Cry1Ac toxin of <i>Bacillus thuringiensis</i> in population of <i>Helicoverpa armigera</i> (Hübner) (Lepidoptera: Noctuidae) from India	728
Green gram		Hepatocyte necrosis	
<i>In vitro</i> screening of calli of mungbean to cercosporin, a photoactivated toxin	113	Protective role of heptametoxyflavone against acetaminophen induced hepatotoxicity in zebrafish	805
Green technology		Hepatotoxicity	
Crude oil degradation by <i>Pseudomonas aeruginosa</i> NCIM 5514: Influence of process parameters	493	Protective role of heptametoxyflavone against acetaminophen induced hepatotoxicity in zebrafish	805
Groundnut		Repressive effect of curcumin against 2-amino-3-methylimidazo [4,5-f] quinoline induced hepato- and immunotoxicity in mice	365
Stomatal clustering pattern in <i>Arachis hypogaea</i> L. under water deficit stress	880	Russell's viper venom induced nephrotoxicity, myotoxicity, and hepatotoxicity—Neutralization with gold nanoparticle conjugated 2-hydroxy-4-methoxy benzoic acid <i>in vivo</i>	7
Growth retardants		Heptametoxyflavone	
Stomatal clustering pattern in <i>Arachis hypogaea</i> L. under water deficit stress	880	Protective role of heptametoxyflavone against acetaminophen induced hepatotoxicity in zebrafish	805
Guduchi		HER-2 receptors	
Effect of <i>Tinospora cordifolia</i> (Guduchi) on the phagocytic and pinocytotic activity of murine macrophages <i>in vitro</i>	21	Antitumor potential of herbomineral formulation against breast cancer: Involvement of inflammation and oxidative stress	680
<i>Gul Mohr</i>			
Effect of <i>Delonix regia</i> (Boj. Ex Hook.) Raf. stem bark extract against experimentally induced ulcers in rats	49		

- Herbal
- Antidiabetic and antioxidant activities of *Roylea cinerea* 611
extracts: a comparative study
- Antitumor potential of herbomineral formulation against 680
breast cancer: Involvement of inflammation and
oxidative stress
- Effect of cardioprotective polyherbal formulation on 357
isoproterenol induced myocardial infarction in
experimental animals
- Effect of *Tinospora cordifolia* (Guduchi) on the 21
phagocytic and pinocytic activity of murine
macrophages *in vitro*
- In vitro* macrophage activation: A technique for 133
screening anti-inflammatory, immunomodulatory and
anticancer activity of phytochemicals
- Pharmacognostical evaluation of Indian folk-traditional 622
plants *Coelogyne cristata* and *Pholidota articulata* used
for healing fractures
- Phytochemical investigation and exploration of CNS 801
depressant efficacy of ethanolic root extract of *Cyperus
kylilinga* Endl.
- Phytoextracts protect *Saccharomyces cerevisiae* from 469
oxidative stress with simultaneous enhancement in
bioremediation efficacy
- Safety evaluation of *Aloe vera* pulp aqueous extract 568
based on histoarchitectural and biochemical alterations
in mice
- Therapeutic potentials of herbal drugs for Alzheimer's 63
disease—An overview
- Topical application of *Salvia officinalis* hydroethanolic 98
leaf extract improves wound healing process
- Heteropneustes fossilis*
- Mitochondrial membrane-bound activity of arginase is 74
independent of nitrogen excretion pattern in ureogenic
and non-ureogenic vertebrates
- Himalayan Baneberry
- Neuropharmacological investigations on *Actaea 27
acuminata* Wall. ex Royle roots
- HMBA
- Russell's viper venom induced nephrotoxicity, 7
myotoxicity, and hepatotoxicity—Neutralization with
gold nanoparticle conjugated 2-hydroxy-4-methoxy
benzoic acid *in vivo*
- Homeostasis
- In vitro* macrophage activation: A technique for 133
screening anti-inflammatory, immunomodulatory and
anticancer activity of phytochemicals
- Honey
- Safety assessment on chronic administration of *Swarna 217
Bindu Prashan*— a popular Ayurvedic preparation of
incinerated gold ash used as immune booster to children
in southern India
- Honey mesquite
- Physicochemical properties and toxicity test of *Prosopis 782
juliflora* (Sw.) DC. and *Balanites aegyptiaca* Del gum
exudates from Rajasthan
- Horse Purslane weed
- In vitro* screening of foliar pathogens for biological 389
control of Horse Purslane weed
- Horse Radish Peroxidase (HRP)
- Effect of *Tinospora cordifolia* (Guduchi) on the 21
phagocytic and pinocytic activity of murine
macrophages *in vitro*
- Hot springs
- Allelic variations in *dnaK* of thermotolerant bacilli 527
inhabiting thermal springs
- Humoral immunity
- Effects of maternal exposure to antidepressant on 675
humoral immunity in rat pups
- HUR 3022
- Molecular diversity of methanogenic archaea and 506
methane production potential of soil in relation to rice
cultivars
- Hydrolysis
- Production and characterization of microbial poly g- 405
glutamic acid from renewable resources
- Hydroquinone
- Protection of vitamin A and E against toxicity induced 383
by hydroquinone
- Hyperbilirubinemia
- Predictive factors of hyperbilirubinemia in newborns at 756
University hospital in northern Iran
- Hyperglycemia. *See also* Diabetes mellitus (DM)
- Dietary ginger improves glucose dysregulation in a 142
long-term high-fat high-fructose fed prediabetic rat
model
- Pelargonidin-PLGA nanoparticles: Fabrication, 819
characterization, and their effect on streptozotocin-
induced diabetic rats
- Short-term extracellular glucose exposure alters neurite 648
outgrowth and intracellular reactive oxygen species
without altering viability in neuronal cells
- Hyperinsulinemia
- Dietary ginger improves glucose dysregulation in a 142
long-term high-fat high-fructose fed prediabetic rat
model
- Hyperlipidemia
- Pelargonidin-PLGA nanoparticles: Fabrication, 819
characterization, and their effect on streptozotocin-
induced diabetic rats*
- Hypertriglyceridemia
- Dietary ginger improves glucose dysregulation in a 142
long-term high-fat high-fructose fed prediabetic rat
model
- Hypothyroidism
- Differential expression of apoptotic proteins in 634
seminiferous tubule cells of adult rats by neonatal
exposure to 6-n propyl-2-thiouracil (PTU), a thyroid
disrupting chemical
- IAA oxidase activity
- Effect of supplemental ultraviolet-B radiation on 845
Withania somnifera (L.) Dunal: An appraisal of
morphological, physiological and biochemical
characteristics
- IDR 763
- Molecular diversity of methanogenic archaea and 506
methane production potential of soil in relation to rice
cultivars

Imidazole		Indole-3-butyric acid	
Carotenoids extraction from <i>Rhodotorula glutinis</i> cells using various techniques: A comparative study	479	Synergistic effect of silver nitrate and coconut water on shoot differentiation and plant regeneration from cultured cotyledons of <i>Capsicum annuum</i> L.	184
Immobilization stress		Inflammation	
Effects of chronic prepubertal stress on serum level of kisspeptin and histopathological changes in the kidney of the male rat	344	Anti-inflammatory activity of cyclo-oxygenase2 inhibitory anionic protein fraction from <i>Lamellidens marginalis</i> (Lamarck)	88
Immunodot assay		Antitumor potential of herbomineral formulation against breast cancer: Involvement of inflammation and oxidative stress	680
Reaction of sera of cultivable fishes in India with monoclonal antibody to immunoglobulin of Rohu (<i>Labeo rohita</i>) in immunodot	292	<i>In vitro</i> macrophage activation: A technique for screening anti-inflammatory, immunomodulatory and anticancer activity of phytomolecules	133
Immunoglobulin		Repressive effect of curcumin against 2-amino-3-methylimidazo [4,5-f] quinoline induced hepato- and immunotoxicity in mice	365
Effects of maternal exposure to antidepressant fluoxetine on humoral immunity in rat pups	675	Ink formulation	
Immunomodulator		Production of bacterial pigments in low cost medium and formulation of biodegradable ink	441
Safety assessment on chronic administration of <i>Swarna Bindu Prashan</i> — a popular Ayurvedic preparation of incinerated gold ash used as immune booster to children in southern India	217	Insecticide toxicity	
Immunomodulatory		Long term exposure to deltamethrin causes a dual effect on plasma membrane Ca ²⁺ -ATPase activity and reduces its mRNA levels in human lymphocytes	271
<i>In vitro</i> macrophage activation: A technique for screening anti-inflammatory, immunomodulatory and anticancer activity of phytomolecules	133	Insulin growth factor-1	
Immunoreactivity		Protective role of Krill oil against estrogen deficiency induced neurodegeneration in ovariectomized rats	279
Serodiagnosis of animal trypanosomosis using a recombinant invariant surface glycoprotein of <i>Trypanosoma evansi</i>	209	Insulin resistance	
Immunoreactivity, rISG-75ED, ROC analysis, Surra		Dietary ginger improves glucose dysregulation in a long-term high-fat high-fructose fed prediabetic rat model	142
Serodiagnosis of animal trypanosomosis using a recombinant invariant surface glycoprotein of <i>Trypanosoma evansi</i>	209	Interchromosomal translocation	
Immunostimulant		Recurrent chromosomal translocations: Is proximity a rule?	15
Effect of <i>Tinospora cordifolia</i> (Guduchi) on the phagocytic and pinocytic activity of murine macrophages <i>in vitro</i>	21	Interphase genomic organization	
Immunotoxicity		Recurrent chromosomal translocations: Is proximity a rule?	15
Repressive effect of curcumin against 2-amino-3-methylimidazo [4,5-f] quinoline induced hepato- and immunotoxicity in mice	365	IPM	
Incision wound		Biological traits associated with Cry1Ac resistance in <i>Helicoverpa armigera</i> (Lepidoptera: Noctuidae)	722
Wound healing activity of <i>Celtis timorensis</i> Span. (Cannabaceae) leaf extract in Wistar albino rats	688	Green synthesis of silver nanoparticles by entomopathogenic fungus <i>Beauveria bassiana</i> and their bioefficacy against mustard aphid (<i>Lipaphis erysimi</i> Kalt.)	555
Indian Ginseng		Ipomeanol	
Effect of antioxidant protection system on regeneration potential of different chemotypes of <i>Withania somnifera</i> (L.) Dunal — A comparative analysis	242	Optimization of process parameters for bioproduction, isolation and purification of 4-Ipomeanol from cell suspension cultures of <i>Ipomoea batatas</i> (L.) Lam.	191
Indian ginseng		<i>Ipomoea batatas</i>	
Effect of supplemental ultraviolet-B radiation on <i>Withania somnifera</i> (L.) Dunal: An appraisal of morphological, physiological and biochemical characteristics	845	Optimization of process parameters for bioproduction, isolation and purification of 4-Ipomeanol from cell suspension cultures of <i>Ipomoea batatas</i> (L.) Lam.	191
Indian long pepper		IQ mutagenicity	
Effect of cardioprotective polyherbal formulation on isoproterenol induced myocardial infarction in experimental animals	357	Repressive effect of curcumin against 2-amino-3-methylimidazo [4,5-f] quinoline induced hepato- and immunotoxicity in mice	365
Indian medicine		IR spectroscopy	
Effect of <i>Tinospora cordifolia</i> (Guduchi) on the phagocytic and pinocytic activity of murine macrophages <i>in vitro</i>	21	Optimization of process parameters for bioproduction, isolation and purification of 4-Ipomeanol from cell suspension cultures of <i>Ipomoea batatas</i> (L.) Lam.	191
Indian Mustard			
Expression analysis of candidate genes for abiotic stress tolerance in <i>Brassica</i> genotypes with contrasting osmotic stress tolerance	333		

- 2-Isopropylimidazole
Carotenoids extraction from *Rhodotorula glutinis* cells using various techniques: A comparative study 479
- Isoproterenol
Effect of cardioprotective polyherbal formulation on isoproterenol induced myocardial infarction in experimental animals 357
- ISSR
Effect of discrete (individual) and mixed (bulk) genomic DNA on genetic diversity estimates and population structure in Teak (*Tectona grandis* L. f.) 44
- Jaundice
Predictive factors of hyperbilirubinemia in newborns at University hospital in northern Iran 756
- Jatropha curcas*
Jatropha curcas L. kernel prevents benzene induced clastogenicity, gene expression alteration and apoptosis in liver tissues of male rats 225
- Kabar Wetland
Evaluation of arsenic removal potential of arsenic resistant bacteria with the role of physiological and genomic factors 251
- Kaempferol
Protective effect of standardized extract of *Glycine max* seeds against experimentally induced gastroesophageal reflux disease in rats 768
- Kalmegh*
Effect of cardioprotective polyherbal formulation on isoproterenol induced myocardial infarction in experimental animals 357
- Karnal bunt
Development of real time PCR assay for detection and quantification of teliospores of *Tilletia indica* in soil 549
- Ketoconazole
Carotenoids extraction from *Rhodotorula glutinis* cells using various techniques: A comparative study 479
- Kinetin
Detached leaf assay for evaluating resistance to leaf rust *Pst.* 104-2 in wheat (*Triticum aestivum* L.) 789
- King of Bitters
Effect of cardioprotective polyherbal formulation on isoproterenol induced myocardial infarction in experimental animals 357
- Kisspeptin
Effects of chronic prepubertal stress on serum level of kisspeptin and histopathological changes in the kidney of the male rat 344
- Krill oil
Protective role of Krill oil against estrogen deficiency induced neurodegeneration in ovariectomized rats 279
- Labeling
Conjugation, labeling and characterization of asparaginase bound silver nanoparticles for anticancer applications 421
- Labeo fimbriatus*
Reaction of sera of cultivable fishes in India with monoclonal antibody to immunoglobulin of Rohu (*Labeo rohita*) in immunodot 292
- Labeo rohita*
Histopathological alterations in the gills of *Labeo rohita* (Hamilton-Buchanan) due to Lead toxicity 576
Reaction of sera of cultivable fishes in India with monoclonal antibody to immunoglobulin of Rohu (*Labeo rohita*) in immunodot 292
- Laccase
Phytoextracts protect *Saccharomyces cerevisiae* from oxidative stress with simultaneous enhancement in bioremediation efficacy 469
- Latent period
Detached leaf assay for evaluating resistance to leaf rust *Pst.* 104-2 in wheat (*Triticum aestivum* L.) 789
- Lates calcarifer*
Reaction of sera of cultivable fishes in India with monoclonal antibody to immunoglobulin of Rohu (*Labeo rohita*) in immunodot 292
- Lead toxicity
Histopathological alterations in the gills of *Labeo rohita* (Hamilton-Buchanan) due to Lead toxicity 576
Fruit deformity in papaya: field screening, nutrient composition and amelioration by boron application 870
Protective role of *Trichoderma logibrachiatum* (WT2) on Lead induced oxidative stress in *Helianthus annuus* L. 235
- Learning memory
Protective role of Krill oil against estrogen deficiency induced neurodegeneration in ovariectomized rats 279
- Lectins
New cell surface lectins with complex carbohydrate specificity from cyanobacteria 514
- Lesser galangal
Essential oil profiling of *Alpinia* species from southern India 776
- Leukemia
Recurrent chromosomal translocations: Is proximity a rule? 15
- Lignin peroxidase
Phytoextracts protect *Saccharomyces cerevisiae* from oxidative stress with simultaneous enhancement in bioremediation efficacy 469
- Lignocellulosic biomass
Production and characterization of microbial poly- glutamic acid from renewable resources 405
- Lipaphis erysimi*
Green synthesis of silver nanoparticles by entomopathogenic fungus *Beauveria bassiana* and their bioefficacy against mustard aphid (*Lipaphis erysimi* Kalt.) 555
- Lipase
Quorum sensing mediated virulence inhibition of an opportunistic human pathogen *Serratia marcescens* from unexplored marine sediment of Palk Bay through function driven metagenomic approach 448
- Lipid peroxidation
Safety evaluation of Aloe vera pulp aqueous extract based on histoarchitectural and biochemical alterations in mice 568
- Liquid environment
Poly-b-hydroxybutyrate biodegradation by mixed culture population *vis-à-vis* single culture population under varying environmental conditions: A new approach 311

Liver injury		MCF7 cells	
Repressive effect of curcumin against 2-amino-3-methylimidazo [4,5-f] quinoline induced hepato- and immunotoxicity in mice	365	Thickness and biopolymer coat standardization for culture of MCF7 cells on polydimethylsiloxane (PDMS) surface and off-chip retrieval of methacrylated gelatin gel from PDMS	665
Livestock		MDR. <i>See</i> Multidrug resistance (MDR)	
A new bacteriophage based luminescence assay for diagnosis of brucellosis	296	<i>mdr1b</i>	
Boron and calcium chloride as possible ameliorators of fluoride toxicity in Wistar rats	864	<i>Jatropha curcas</i> L. kernel prevents benzene induced clastogenicity, gene expression alteration and apoptosis in liver tissues of male rats	225
Lung injury, acute		Melting curve analysis	
Pheniramine maleate attenuates oleic acid-induced acute respiratory distress syndrome in rats	351	Real-Time PCR assay and for identification of diarrheagenic <i>Escherichia coli</i> in paediatric population	876
Lycopene cyclase		Memantine	
Carotenoids extraction from <i>Rhodotorula glutinis</i> cells using various techniques: A comparative study	479	Therapeutic potentials of herbal drugs for Alzheimer's disease—An overview	63
Lymphocytes		Membrane stability	
T-lymphocytes		Silencing of fatty acid desaturase (<i>FAD7</i>) gene enhances membrane stability and photosynthetic efficiency under heat stress in tobacco (<i>Nicotiana benthamiana</i>)	532
Long term exposure to deltamethrin causes a dual effect on plasma membrane Ca ²⁺ -ATPase activity and reduces its mRNA levels in human lymphocytes	271	Meningiomas	
MAbs		Sodium butyrate induces p53 dependent and independent cell death in human brain tumor cells in primary culture <i>in vitro</i>	747
Reaction of sera of cultivable fishes in India with monoclonal antibody to immunoglobulin of Rohu (<i>Labeo rohita</i>) in immunodot	292	Mesenchymal stem cells	
Macronutrients		Isolation, proliferation, characterization and <i>in vivo</i> osteogenic potential of bonemarrow derived mesenchymal stem cells (rBMSC) in rabbit model	79
Isolation of bacterial strains possessing nitrogen-fixation, phosphate and potassium-solubilization and their inoculation effects on sugarcane	161	Metabolic regulator	
Madagascar periwinkle		Carotenoids extraction from <i>Rhodotorula glutinis</i> cells using various techniques: A comparative study	479
Wounding activates a 47 kDa MAP kinase in <i>Catharanthus roseus</i> (L.) G. Don.	107	Metabolic syndrome	
Malachite Green		Dietary ginger improves glucose dysregulation in a long-term high-fat high-fructose fed prediabetic rat model	142
Phytoextracts protect <i>Saccharomyces cerevisiae</i> from oxidative stress with simultaneous enhancement in bioremediation efficacy	469	Metaclones	
Malondialdehyde (MDA)		Quorum sensing mediated virulence inhibition of an opportunistic human pathogen <i>Serratia marcescens</i> from unexplored marine sediment of Palk Bay through function driven metagenomic approach	448
Protective role of Krill oil against estrogen deficiency induced neurodegeneration in ovariectomized rats	279	Metagenomics	
<i>Malus domestica</i>		Quorum sensing mediated virulence inhibition of an opportunistic human pathogen <i>Serratia marcescens</i> from unexplored marine sediment of Palk Bay through function driven metagenomic approach	448
RAPD analysis of long term micropropagated rootstock plants of Apple Malling 7	178	Metal chelating activity	
Mammary carcinogenesis		Hydroxyacetamide derivatives: cytotoxicity, genotoxicity, antioxidative and metal chelating studies	831
Antitumor potential of herbomineral formulation against breast cancer: Involvement of inflammation and oxidative stress	680	Methane production potential	
Mandel and Weber (M & W) medium		Molecular diversity of methanogenic archaea and methane production potential of soil in relation to rice cultivars	506
Improved cellulase production by <i>Penicillium janthinellum</i> mutant	436	Methionine	
mbArg(mitochondrial membranebound arginase)		Fatty and amino acid compositions of <i>Vernicia fordii</i> : a source of α -eleostearic acid and methionine	734
Mitochondrial membrane-bound activity of arginase is independent of nitrogen excretion pattern in ureogenic and non-ureogenic vertebrates	74	(E)-Methyl cinnamate	
mBSA-induced arthritis		Essential oil profiling of <i>Alpinia</i> species from southern India	776
Evaluation of preventive effect of <i>Brugia malayi</i> recombinant cystatin on mBSA-induced experimental arthritis	655	Methylprednisolone	
MCF-7		Pheniramine maleate attenuates oleic acid-induced acute respiratory distress syndrome in rats	351
Benzoyloxy-ethyl-carbamic acid: A novel anticancerous secondary metabolite produced by <i>Streptomyces globosus</i> VITLKG011	411		

- Microalgae
Dissolved inorganic carbonate sustain the growth, lipid and biomass yield of *Scenedesmus quadricauda* under nitrogen starved condition 702
- Microbial degradation
Improved cellulase production by *Penicillium janthinellum* mutant 436
- Microbial protease
Purification and characterization of highly active LasB protease from *Pseudomonas aeruginosa* MCCB 123 303
- Microcystis aeruginosa*
New cell surface lectins with complex carbohydrate specificity from cyanobacteria 514
- Microcystis viridis*
New cell surface lectins with complex carbohydrate specificity from cyanobacteria 514
- Micronutrients
Tolerance to combined boron and salt stress in wheat varieties: Biochemical and molecular analyses 321
- Micropropagation
In vitro propagation and genetic stability assessment of an endangered terrestrial jewel orchid *Anoectochilus elatus* Lindl. 853
RAPD analysis of long term micropropagated rootstock plants of Apple Malling 7 178
- Mineral profile
Boron and calcium chloride as possible ameliorators of fluoride toxicity in Wistar rats 864
- Mitogen activated protein (MAP) Kinase
Wounding activates a 47 kDa MAP kinase in *Catharanthus roseus* (L.) G. Don. 107
- Mixed culture
Poly- β -hydroxybutyrate biodegradation by mixed culture population *vis-à-vis* single culture population under varying environmental conditions: A new approach 311
- Mizoram
Fatty and amino acid compositions of *Vernicia fordii*: a source of α -eleostearic acid and methionine 734
- Molecular marker
Effect of discrete (individual) and mixed (bulk) genomic DNA on genetic diversity estimates and population structure in Teak (*Tectona grandis* L. f.) 44
- Molecular markers
In vitro propagation and genetic stability assessment of an endangered terrestrial jewel orchid *Anoectochilus elatus* Lindl. 853
- Mood disorder
Alterations in cerebrocortical synaptosomal acetylcholinesterase activity and histomorphology of thyroid gland of adult rat during different thyroidal conditions 201
- Moringa oleifera*
Effect of cardioprotective polyherbal formulation on isoproterenol induced myocardial infarction in experimental animals 357
- Moringa pterygosperma*
Antitumor potential of herbomineral formulation against breast cancer: Involvement of inflammation and oxidative stress 680
- MTT assay
Protection of vitamin A and E against toxicity induced by hydroquinone 383
- Short-term extracellular glucose exposure alters neurite outgrowth and intracellular reactive oxygen species without altering viability in neuronal cells 648
- MTU 7029
Molecular diversity of methanogenic archaea and methane production potential of soil in relation to rice cultivars 506
- Mucin
New cell surface lectins with complex carbohydrate specificity from cyanobacteria 514
- Mucor* sp.
Carotenoids extraction from *Rhodotorula glutinis* cells using various techniques: A comparative study 479
- Mucus
Reaction of sera of cultivable fishes in India with monoclonal antibody to immunoglobulin of Rohu (*Labeo rohita*) in immunodot 292
- Multidrug resistance (MDR)
Quorum sensing mediated virulence inhibition of an opportunistic human pathogen *Serratia marcescens* from unexplored marine sediment of Palk Bay through function driven metagenomic approach 448
- Mungbean
In vitro screening of calli of mungbean to cercosporin, a photoactivated toxin 113
- Mus musculus*
Mitochondrial membrane-bound activity of arginase is independent of nitrogen excretion pattern in ureogenic and non-ureogenic vertebrates 74
- Mustard aphid
Green synthesis of silver nanoparticles by entomopathogenic fungus *Beauveria bassiana* and their bioefficacy against mustard aphid (*Lipaphis erysimi* Kalt.) 555
- Mycoherbicide
In vitro screening of foliar pathogens for biological control of Horse Purslane weed 389
- Mycoremediation
Protective role of *Trichoderma logibrachiatum* (WT2) on Lead induced oxidative stress in *Helianthus annuus* L. 235
- Myocardial infarction (MI)
Effect of cardioprotective polyherbal formulation on isoproterenol induced myocardial infarction in experimental animals 357
- Myotoxicity
Russell's viper venom induced nephrotoxicity, myotoxicity, and hepatotoxicity—Neutralization with gold nanoparticle conjugated 2-hydroxy-4-methoxy benzoic acid *in vivo* 7
- N-methyl D-aspartate receptor antagonist
Therapeutic potentials of herbal drugs for Alzheimer's disease—An overview 63
- Na/K ratio
Pattern of salt accumulation and its impact on salinity tolerance in two halophyte grasses in extreme saline desert in India 542
- Nanobiocomposite
Conjugation, labeling and characterization of asparaginase bound silver nanoparticles for anticancer applications 421

Nanocapsulation			
Pelargonidin-PLGA nanoparticles: Fabrication, characterization, and their effect on streptozotocin-induced diabetic rats	819		
Nanoparticles			
Pelargonidin-PLGA nanoparticles: Fabrication, characterization, and their effect on streptozotocin-induced diabetic rats	819		
gold			
Russell's viper venom induced nephrotoxicity, myotoxicity, and hepatotoxicity—Neutralization with gold nanoparticle conjugated 2-hydroxy-4-methoxy benzoic acid <i>in vivo</i>	7		
silver			
Conjugation, labeling and characterization of asparaginase bound silver nanoparticles for anticancer applications	421		
Natural colourants			
Production of bacterial pigments in low cost medium and formulation of biodegradable ink	441		
NCIM 5514			
Crude oil degradation by <i>Pseudomonas aeruginosa</i> NCIM 5514: Influence of process parameters	493		
Nephrotoxicity			
Russell's viper venom induced nephrotoxicity, myotoxicity, and hepatotoxicity—Neutralization with gold nanoparticle conjugated 2-hydroxy-4-methoxy benzoic acid <i>in vivo</i>	7		
Neuraminidase			
New cell surface lectins with complex carbohydrate specificity from cyanobacteria	514		
Neurite outgrowth			
Short-term extracellular glucose exposure alters neurite outgrowth and intracellular reactive oxygen species without altering viability in neuronal cells	648		
Neuroblastoma			
Short-term extracellular glucose exposure alters neurite outgrowth and intracellular reactive oxygen species without altering viability in neuronal cells	648		
Neurodegeneration			
Protective role of Krill oil against estrogen deficiency induced neurodegeneration in ovariectomized rats	279		
Neurofibrillary tangles			
Therapeutic potentials of herbal drugs for Alzheimer's disease—An overview	63		
Neurofibromatosis			
Sodium butyrate induces p53 dependent and independent cell death in human brain tumor cells in primary culture <i>in vitro</i>	747		
Neuronal injury			
Short-term extracellular glucose exposure alters neurite outgrowth and intracellular reactive oxygen species without altering viability in neuronal cells	648		
Neuropharmacology			
Neuropharmacological investigations on <i>Actaea acuminata</i> Wall. ex Royle roots	27		
Neuroprotection			
Protective role of Krill oil against estrogen deficiency induced neurodegeneration in ovariectomized rats	279		
Therapeutic potentials of herbal drugs for Alzheimer's disease—An overview	63		
Neurotoxin			
Long term exposure to deltamethrin causes a dual effect on plasma membrane Ca ²⁺ -ATPase activity and reduces its mRNA levels in human lymphocytes	271		
<i>Nicotiana benthamiana</i>			
Silencing of fatty acid desaturase (<i>FAD7</i>) gene enhances membrane stability and photosynthetic efficiency under heat stress in tobacco (<i>Nicotiana benthamiana</i>)	532		
Nilgiri tribes			
Wound healing activity of <i>Celtis timorensis</i> Span. (Cannabaceae) leaf extract in Wistar albino rats	688		
NIMTLI-130			
Effect of antioxidant protection system on regeneration potential of different chemotypes of <i>Withania somnifera</i> (L.) Dunal — A comparative analysis	242		
Nirbisi			
Phytochemical investigation and exploration of CNS depressant efficacy of ethanolic root extract of <i>Cyperus kyllinga</i> Endl.	801		
Nitrogen excretion pattern			
Mitochondrial membrane-bound activity of arginase is independent of nitrogen excretion pattern in ureogenic and non-ureogenic vertebrates	74		
Nitrogen stress			
Dissolved inorganic carbonate sustain the growth, lipid and biomass yield of <i>Scenedesmus quadricauda</i> under nitrogen starved condition	702		
Nitrogen-fixation			
Isolation of bacterial strains possessing nitrogen-fixation, phosphate and potassium-solubilization and their inoculation effects on sugarcane	161		
NMR			
Optimization of process parameters for bioproduction, isolation and purification of 4- <i>Ipomeanol</i> from cell suspension cultures of <i>Ipomoea batatas</i> (L.) Lam.	191		
Norepinephrine			
Protective role of Krill oil against estrogen deficiency induced neurodegeneration in ovariectomized rats	279		
<i>Nostoc ellipsosporum</i>			
New cell surface lectins with complex carbohydrate specificity from cyanobacteria	514		
<i>Notohymena</i>			
Influence of copper and cadmium toxicity on antioxidant enzyme activity	694		
Nut grass			
Phytochemical investigation and exploration of CNS depressant efficacy of ethanolic root extract of <i>Cyperus kyllinga</i> Endl.	801		
Nutraceuticals			
Safety evaluation of Aloe vera pulp aqueous extract based on histoarchitectural and biochemical alterations in mice	568		
Nutrients			
Crude oil degradation by <i>Pseudomonas aeruginosa</i> NCIM 5514: Influence of process parameters	493		
Nutritional additive			
Fatty and amino acid compositions of <i>Vernicia fordii</i> : a source of α -eleostearic acid and methionine	734		

- Oilseed
Expression analysis of candidate genes for abiotic stress tolerance in *Brassica* genotypes with contrasting osmotic stress tolerance 333
- Oleophilic
Crude oil degradation by *Pseudomonas aeruginosa* NCIM 5514: Influence of process parameters 493
- ORAC
Antidiabetic and antioxidant activities of *Roylea cinerea* extracts: a comparative study 611
- Orange
Characterization of organic acids, sugars, antioxidant and anti-inflammatory activities of *Citrus reticulata* Blanco cv. Nagpur 604
- Orange trumpetvine
Influence of plant growth regulators and light on callus induction and bioactive phenolic compounds production in *Pyrostegia venusta* (Bignoniaceae) 584
- Orchids
Pharmacognostical evaluation of Indian folk-traditional plants *Coelogyne cristata* and *Pholidota articulata* used for healing fractures 622
jewel orchid
In vitro propagation and genetic stability assessment of an endangered terrestrial jewel orchid *Anoectochilus elatus* Lindl. 853
- Oreochromis mossambicus*
Reaction of sera of cultivable fishes in India with monoclonal antibody to immunoglobulin of Rohu (*Labeo rohita*) in immunodot 292
- Organic acids
Characterization of organic acids, sugars, antioxidant and anti-inflammatory activities of *Citrus reticulata* Blanco cv. Nagpur 604
- Organogenesis
In vitro flowering in *Bambusa bambos* (L.) Voss, an anatomical perspective 171
- Oryza sativa* L.
Correlation between selected morphological floral characters and yield components related traits in *Oryza sativa* L. 642
- Oscillatoria agardhii*
New cell surface lectins with complex carbohydrate specificity from cyanobacteria 514
- Osmolyte biosynthesis pathway
Induced-expression of osmolyte biosynthesis pathway genes improves salt and oxidative stress tolerance in *Brassica* species 711
- Osmoprotection
Induced-expression of osmolyte biosynthesis pathway genes improves salt and oxidative stress tolerance in *Brassica* species 711
- Osmotic stress tolerance
Expression analysis of candidate genes for abiotic stress tolerance in *Brassica* genotypes with contrasting osmotic stress tolerance 333
- Osteogenic
Isolation, proliferation, characterization and *in vivo* osteogenic potential of bonemarrow derived mesenchymal stem cells (rBMSC) in rabbit model 79
- Pharmacognostical evaluation of Indian folk-traditional plants *Coelogyne cristata* and *Pholidota articulata* used for healing fractures 622
- Osteoporosis
Effect of alcohol on biochemical properties and thermal stability of weight bearing bones in male Wistar rats 761
- Osteosarcoma
Conjugation, labeling and characterization of asparaginase bound silver nanoparticles for anticancer applications 421
- Oxidative damage
Protective role of Edaravone against valproic acid induced changes in skin 286
Protective role of Krill oil against estrogen deficiency induced neurodegeneration in ovariectomized rats 279
- Oxidative stress
Anticataract potential of roots of *Boerhavia diffusa* on galactose induced cataractogenesis 838
Antitumor potential of herbomineral formulation against breast cancer: Involvement of inflammation and oxidative stress 680
Induced-expression of osmolyte biosynthesis pathway genes improves salt and oxidative stress tolerance in *Brassica* species 711
Influence of copper and cadmium toxicity on antioxidant enzyme activity 694
Pelargonidin-PLGA nanoparticles: Fabrication, characterization, and their effect on streptozotocin-induced diabetic rats 819
Phytoextracts protect *Saccharomyces cerevisiae* from oxidative stress with simultaneous enhancement in bioremediation efficacy 469
Protective role of *Trichoderma logibrachiatum* (WT2) on Lead induced oxidative stress in *Helianthus annuus* L. 235
Antitumor potential of herbomineral formulation against breast cancer: Involvement of inflammation and oxidative stress 680
- Ozone, stratospheric
Effect of supplemental ultraviolet-B radiation on *Withania somnifera* (L.) Dunal: An appraisal of morphological, physiological and biochemical characteristics 845
- p53
Differential expression of apoptotic proteins in seminiferous tubule cells of adult rats by neonatal exposure to 6-n propyl-2-thiouracil (PTU), a thyroid disrupting chemical 634
Jatropha curcas L. kernel prevents benzene induced clastogenicity, gene expression alteration and apoptosis in liver tissues of male rats 225
Repressive effect of curcumin against 2-amino-3-methylimidazo [4,5-f] quinoline induced hepato- and immunotoxicity in mice 365
- Paan
Effect of cardioprotective polyherbal formulation on isoproterenol induced myocardial infarction in experimental animals 357
- Paddy, land races
Correlation between selected morphological floral characters and yield components related traits in *Oryza sativa* L. 642

Paddy soils		Pharmacognosy	
Molecular diversity of methanogenic archaea and methane production potential of soil in relation to rice cultivars	506	Pharmacognostical evaluation of Indian folk-traditional plants <i>Coelogyne cristata</i> and <i>Pholidota articulata</i> used for healing fractures	622
Paracetamol		PHB biodegradation	
Protective role of heptametoxyflavone against acetaminophen induced hepatotoxicity in zebrafish	805	Poly-b-hydroxybutyrate biodegradation by mixed culture population <i>vis-à-vis</i> single culture population under varying environmental conditions: A new approach	311
<i>Paracoccus</i> sp.		Phenolics/Phenols	
Evaluation of arsenic removal potential of arsenic resistant bacteria with the role of physiological and genomic factors	251	Antidiabetic and antioxidant activities of <i>Roylea cinerea</i> extracts: a comparative study	611
Partial disease resistance (PDR)		Characterization of organic acids, sugars, antioxidant and anti-inflammatory activities of <i>Citrus reticulata</i> Blanco cv. Nagpur	604
Detached leaf assay for evaluating resistance to leaf rust <i>Pst.</i> 104-2 in wheat (<i>Triticum aestivum</i> L.)	789	Effect of antioxidant protection system on regeneration potential of different chemotypes of <i>Withania somnifera</i> (L.) Dunal — A comparative analysis	242
Pb ⁺²		Effect of ethanolic extract of <i>Quisqualis indica</i> L. flower on experimental esophagitis in albino Wistar rats	122
Protective role of <i>Trichoderma logibrachiatum</i> (WT2) on Lead induced oxidative stress in <i>Helianthus annuus</i> L.	235	Effect of supplemental ultraviolet-B radiation on <i>Withania somnifera</i> (L.) Dunal: An appraisal of morphological, physiological and biochemical characteristics	845
PCR. <i>See</i> Polymerase chain reaction (PCR)		Influence of plant growth regulators and light on callus induction and bioactive phenolic compounds production in <i>Pyrostegia venusta</i> (Bignoniaceae)	584
PDMS. <i>See</i> Polydimethylsiloxane (PDMS)		Phenyl acetic acid	
PDR. <i>See</i> Partial disease resistance (PDR)		Synergistic effect of silver nitrate and coconut water on shoot differentiation and plant regeneration from cultured cotyledons of <i>Capsicum annum</i> L.	184
Peanut		Photosynthesis	
Stomatal clustering pattern in <i>Arachis hypogaea</i> L. under water deficit stress	880	Antioxidant, photosynthesis and growth characteristics of plants grown in high sulphur coalmine overburden	151
Pelargonidin		Effect of supplemental ultraviolet-B radiation on <i>Withania somnifera</i> (L.) Dunal: An appraisal of morphological, physiological and biochemical characteristics	845
Pelargonidin-PLGA nanoparticles: Fabrication, characterization, and their effect on streptozotocin-induced diabetic rats	819	Stomatal clustering pattern in <i>Arachis hypogaea</i> L. under water deficit stress	880
Pen side diagnostic assay		Photosystem-II	
A new bacteriophage based luminescence assay for diagnosis of brucellosis	296	Silencing of fatty acid desaturase (<i>FAD7</i>) gene enhances membrane stability and photosynthetic efficiency under heat stress in tobacco (<i>Nicotiana benthamiana</i>)	532
Penicillin		<i>Phyllanthus emblica</i>	
Incidence and characterization of <i>Pseudomonas</i> species isolated from spoil fresh produce	372	Phytoextracts protect <i>Saccharomyces cerevisiae</i> from oxidative stress with simultaneous enhancement in bioremediation efficacy	469
<i>Penicillium</i> sp.		Phytotoxin	
Carotenoids extraction from <i>Rhodotorula glutinis</i> cells using various techniques: A comparative study	479	Characterization of phytotoxin producing <i>Alternaria</i> species isolated from sesame leaves and their toxicity	36
<i>Penicillium janthinellum</i>		pinocytic activity	
Improved cellulase production by <i>Penicillium janthinellum</i> mutant	436	Effect of <i>Tinospora cordifolia</i> (Guduchi) on the phagocytic and pinocytic activity of murine macrophages <i>in vitro</i>	21
Peptone water		<i>Piper betle</i>	
Evaluation of arsenic removal potential of arsenic resistant bacteria with the role of physiological and genomic factors	251	Effect of cardioprotective polyherbal formulation on isoproterenol induced myocardial infarction in experimental animals	357
Peroxidase (POD)			
<i>In vitro</i> screening of calli of mungbean to cercosporin, a photoactivated toxin	113		
Petrochemicals			
<i>Jatropha curcas</i> L. kernel prevents benzene induced clastogenicity, gene expression alteration and apoptosis in liver tissues of male rats	225		
Petroleum hydrocarbons			
Crude oil degradation by <i>Pseudomonas aeruginosa</i> NCIM 5514: Influence of process parameters	493		
PGA. <i>See</i> Poly- g-glutamic acid (PGA)			
PGPR. <i>See</i> Plant growth-promoting rhizobacteria (PGPR)			
Phagocytic activity			
Effect of <i>Tinospora cordifolia</i> (Guduchi) on the phagocytic and pinocytic activity of murine macrophages <i>in vitro</i>	21		

- Piper longum*
Effect of cardioprotective polyherbal formulation on isoproterenol induced myocardial infarction in experimental animals 357
- Piper nigrum*
Antitumor potential of herbomineral formulation against breast cancer: Involvement of inflammation and oxidative stress 680
- Pipli
Effect of cardioprotective polyherbal formulation on isoproterenol induced myocardial infarction in experimental animals 357
- Plant growth-promoting rhizobacteria (PGPR)
Isolation, characterization and evaluation of the biocontrol potential of *Pseudomonas protegens* RS-9 against *Ralstonia solanacearum* in Tomato 595
- Plant stress
Protective role of *Trichoderma logibrachiatum* (WT2) on Lead induced oxidative stress in *Helianthus annuus* L. 235
- PMCA (Plasma membrane Ca²⁺-ATPase)
Long term exposure to deltamethrin causes a dual effect on plasma membrane Ca²⁺-ATPase activity and reduces its mRNA levels in human lymphocytes 271
- Pollination
self pollination
Correlation between selected morphological floral characters and yield components related traits in *Oryza sativa* L. 642
- Pollution
aquatic
Crude oil degradation by *Pseudomonas aeruginosa* NCIM 5514: Influence of process parameters 493
Evaluation of arsenic removal potential of arsenic resistant bacteria with the role of physiological and genomic factors 251
Histopathological alterations in the gills of *Labeo rohita* (Hamilton-Buchanan) due to Lead toxicity 576
Phytoextracts protect *Saccharomyces cerevisiae* from oxidative stress with simultaneous enhancement in bioremediation efficacy 469
Removal of Atrazine by coupling Fenton reaction with bioreactor in series 498
soil
Fruit deformity in papaya: field screening, nutrient composition and amelioration by boron application 870
Protective role of *Trichoderma logibrachiatum* (WT2) on Lead induced oxidative stress in *Helianthus annuus* L. 235
- Poly (D, L-lactide-co-glycolide)
Pelargonidin-PLGA nanoparticles: Fabrication, characterization, and their effect on streptozotocin-induced diabetic rats 819
- Poly amino acids
Production and characterization of microbial poly- g- glutamic acid from renewable resources 405
- Polydimethylsiloxane (PDMS)
Thickness and biopolymer coat standardization for culture of MCF7 cells on polydimethylsiloxane (PDMS) surface and off-chip retrieval of methacrylated gelatin gel from PDMS 665
- Poly-g- glutamic acid (PGA)
Production and characterization of microbial poly-g- glutamic acid from renewable resources 405
- Polymerase chain reaction (PCR)
qRT
Expression analysis of candidate genes for abiotic stress tolerance in *Brassica* genotypes with contrasting osmotic stress tolerance 333
Real-Time
Development of real time PCR assay for detection and quantification of teliospores of *Tilletia indica* in soil 549
Real-Time PCR assay and melting curve analysis for identification of diarrheagenic *Escherichia coli* in paediatric population 876
- Polymorphism
Allelic variations in *dnaK* of thermotolerant bacilli inhabiting thermal springs 527
- Polypeptides
Tolerance to combined boron and salt stress in wheat varieties: Biochemical and molecular analyses 321
- Post harvest rots
Incidence and characterization of *Pseudomonas* species isolated from spoiled fresh produce 372
- Postpartum depression
Effects of maternal exposure to antidepressant fluoxetine on humoral immunity in rat pups 675
- Prebiotic
Biotransformation of banana pseudostem extract into a functional juice containing value added biomolecules of potential health benefits 453
- Prediabetes
Dietary ginger improves glucose dysregulation in a long-term high-fat high-fructose fed prediabetic rat model 142
- Pregnancy
Effects of maternal exposure to antidepressant fluoxetine on humoral immunity in rat pups 675
- Pristipomoides typus*
Reaction of sera of cultivable fishes in India with monoclonal antibody to immunoglobulin of Rohu (*Labeo rohita*) in immunodot 292
- Prodigiosin
Production of bacterial pigments in low cost medium and formulation of biodegradable ink 441
- Proline content
Effect of antioxidant protection system on regeneration potential of different chemotypes of *Withania somnifera* (L.) Dunal — A comparative analysis 242
- 6-n-propyl-2-thiouracil (PTU)
Alterations in cerebrocortical synaptosomal acetylcholinesterase activity and histomorphology of thyroid gland of adult rat during different thyroidal conditions 201
Differential expression of apoptotic proteins in seminiferous tubule cells of adult rats by neonatal exposure to 6-n propyl-2-thiouracil (PTU), a thyroid disrupting chemical 634
- Prosopis juliflora*
Physicochemical properties and toxicity test of *Prosopis juliflora* (Sw.) DC. and *Balanites aegyptiaca* Del gum exudates from Rajasthan 782

Protease			
Purification and characterization of highly active LasB protease from <i>Pseudomonas aeruginosa</i> MCCB 123	303	<i>Pyrostegia venusta</i>	
Protein profile		Influence of plant growth regulators and light on callus induction and bioactive phenolic compounds production in <i>Pyrostegia venusta</i> (Bignoniaceae)	584
Tolerance to combined boron and salt stress in wheat varieties: Biochemical and molecular analyses	321	2-amino-3-methylimidazo [4,5-f] Quinoline	
Protein purification		Repressive effect of curcumin against 2-amino-3-methylimidazo [4,5-f] quinoline induced hepato- and immunotoxicity in mice	365
Anti-inflammatory activity of cyclo-oxygenase2 inhibitory anionic protein fraction from <i>Lamellidens marginalis</i> (Lamarck)	88	<i>Quisqualis indica</i> L.	
<i>Pseudomonas</i>		Effect of ethanolic extract of <i>Quisqualis indica</i> L. flower on experimental esophagitis in albino Wistar rats	122
Crude oil degradation by <i>Pseudomonas aeruginosa</i> NCIM 5514: Influence of process parameters	493	Quorum sensing	
Incidence and characterization of <i>Pseudomonas</i> species isolated from spoilt fresh produce	372	Quorum sensing mediated virulence inhibition of an opportunistic human pathogen <i>Serratia marcescens</i> from unexplored marine sediment of Palk Bay through function driven metagenomic approach	448
<i>Pseudomonas aeruginosa</i>			
Extracellular synthesis of silver nanoparticles by the fungus <i>Emericella nidulans</i> EV4 and its application	262		
MCCB		<i>Rana tigrina</i>	
Purification and characterization of highly active LasB protease from <i>Pseudomonas aeruginosa</i> MCCB 123	303	Mitochondrial membrane-bound activity of arginase is independent of nitrogen excretion pattern in ureogenic and non-ureogenic vertebrates	74
PTGS		Rangoon Creeper	
Post-transcriptional gene silencing		Effect of ethanolic extract of <i>Quisqualis indica</i> L. flower on experimental esophagitis in albino Wistar rats	122
Silencing of fatty acid desaturase (<i>FAD7</i>) gene enhances membrane stability and photosynthetic efficiency under heat stress in tobacco (<i>Nicotiana benthamiana</i>)	532	Ranunculaceae	
PTU. See 6-n-Propyl-2-thiouracil (PTU)		Neuropharmacological investigations on <i>Actaea acuminata</i> Wall. ex Royle roots	27
Public health		RAPD	
Evaluation of <i>Salmonella</i> Typhimurium biofilm against some antibiotics	562	Effect of discrete (individual) and mixed (bulk) genomic DNA on genetic diversity estimates and population structure in Teak (<i>Tectona grandis</i> L. f.)	44
<i>Puccinia triticina</i> Eriks.		RAPD analysis of long term micropropagated rootstock plants of Apple Malling 7	178
Detached leaf assay for evaluating resistance to leaf rust <i>Pst.</i> 104-2 in wheat (<i>Triticum aestivum</i> L.)	789	Reactive oxygen species (ROS)	
Pulmonary edema		Antioxidant, photosynthesis and growth characteristics of plants grown in high sulphur coalmine overburden	151
Pheniramine maleate attenuates oleic acid-induced acute respiratory distress syndrome in rats	351	Influence of copper and cadmium toxicity on antioxidant enzyme activity	694
Pulses		Short-term extracellular glucose exposure alters neurite outgrowth and intracellular reactive oxygen species without altering viability in neuronal cells generation	648
<i>In vitro</i> screening of calli of mungbean to cercosporin, a photoactivated toxin	113	<i>Jatropha curcas</i> L. kernel prevents benzene induced clastogenicity, gene expression alteration and apoptosis in liver tissues of male rats	225
Punarnava		scavenging	
Anticataract potential of roots of <i>Boerhavia diffusa</i> on galactose induced cataractogenesis	838	Phytoextracts protect <i>Saccharomyces cerevisiae</i> from oxidative stress with simultaneous enhancement in bioremediation efficacy	469
<i>Punarnava</i>		Reclamation	
Effect of cardioprotective polyherbal formulation on isoproterenol induced myocardial infarction in experimental animals	357	Antioxidant, photosynthesis and growth characteristics of plants grown in high sulphur coalmine overburden	151
Pylorus ligation		Red spiderling	
Effect of <i>Delonix regia</i> (Boj. Ex Hook.) Raf. stem bark extract against experimentally induced ulcers in rats	49	Effect of cardioprotective polyherbal formulation on isoproterenol induced myocardial infarction in experimental animals	357
Pyrethroid		Regeneration potential	
Long term exposure to deltamethrin causes a dual effect on plasma membrane Ca ²⁺ -ATPase activity and reduces its mRNA levels in human lymphocytes	271	Effect of antioxidant protection system on regeneration potential of different chemotypes of <i>Withania somnifera</i> (L.) Dunal — A comparative analysis	242
Pyroligneous acid (PA)			
Optimization of pyroligneous acid production from palm kernel shell and its potential antibacterial and antibiofilm activities	427		
Pyrolysis			
Optimization of pyroligneous acid production from palm kernel shell and its potential antibacterial and antibiofilm activities	427		

- Relative proximity
 Recurrent chromosomal translocations: Is proximity a rule? 15
- Renal carcinoma
 Optimization of process parameters for bioproduction, isolation and purification of 4-Ipomeanol from cell suspension cultures of *Ipomoea batatas* (L.) Lam. 191
- Reptiles
 Mitochondrial membrane-bound activity of arginase is independent of nitrogen excretion pattern in ureogenic and non-ureogenic vertebrates 74
- Residues
 Removal of Atrazine by coupling Fenton reaction with bioreactor in series 498
- Resistance management
 Biological traits associated with Cry1Ac resistance in *Helicoverpa armigera* (Lepidoptera: Noctuidae) 722
- Retinol
 Protection of vitamin A and E against toxicity induced by hydroquinone 383
- Rheumatoid arthritis
 Evaluation of preventive effect of *Brugia malayi* recombinant cystatin on mBSA-induced experimental arthritis 655
- Rhodotorula glutinis*
 Carotenoids extraction from *Rhodotorula glutinis* cells using various techniques: A comparative study 479
- Rice
 Correlation between selected morphological floral characters and yield components related traits in *Oryza sativa* L. 642
- Rice cultivars
 Molecular diversity of methanogenic archaea and methane production potential of soil in relation to rice cultivars 506
- rISG-75ED
 Serodiagnosis of animal trypanosomosis using a recombinant invariant surface glycoprotein of *Trypanosoma evansi* 209
- ¹⁶SrRNA
 Isolation, characterization and evaluation of the biocontrol potential of *Pseudomonas protegens* RS-9 against *Ralstonia solanacearum* in Tomato 595
- ROC analysis
 Serodiagnosis of animal trypanosomosis using a recombinant invariant surface glycoprotein of *Trypanosoma evansi* 209
- Rohu
 Histopathological alterations in the gills of *Labeo rohita* (Hamilton-Buchanan) due to Lead toxicity 576
 Reaction of sera of cultivable fishes in India with monoclonal antibody to immunoglobulin of Rohu (*Labeo rohita*) in immunodot 292
- ROS. *See* Reactive oxygen species (ROS)
- Roseateles terrae*
 Isolation of bacterial strains possessing nitrogen-fixation, phosphate and potassium-solubilization and their inoculation effects on sugarcane 161
- Rota rod apparatus
 Phytochemical investigation and exploration of CNS depressant efficacy of ethanolic root extract of *Cyperus kyllinga* Endl. 801
- Rotational cropping
In vitro screening of calli of mungbean to cercosporin, a photoactivated toxin 113
- Roundworm
 Evaluation of preventive effect of *Brugia malayi* recombinant cystatin on mBSA-induced experimental arthritis 655
- Roylea cinerea*
 Antidiabetic and antioxidant activities of *Roylea cinerea* extracts: a comparative study 611
- Russell's viper
 Russell's viper venom induced nephrotoxicity, myotoxicity, and hepatotoxicity—Neutralization with gold nanoparticle conjugated 2-hydroxy-4-methoxy benzoic acid *in vivo* 7
- Saccharomyces cerevisiae*
 Phytoextracts protect *Saccharomyces cerevisiae* from oxidative stress with simultaneous enhancement in bioremediation efficacy 469
- Saccharum officinarum* L.
 Isolation of bacterial strains possessing nitrogen-fixation, phosphate and potassium-solubilization and their inoculation effects on sugarcane 161
- Sahbhagi
 Molecular diversity of methanogenic archaea and methane production potential of soil in relation to rice cultivars 506
- Saline soil
 Pattern of salt accumulation and its impact on salinity tolerance in two halophyte grasses in extreme saline desert in India 542
- Salinity
 Crude oil degradation by *Pseudomonas aeruginosa* NCIM 5514: Influence of process parameters 493
 stress
 Induced-expression of osmolyte biosynthesis pathway genes improves salt and oxidative stress tolerance in *Brassica* species 711
 tolerance
 Pattern of salt accumulation and its impact on salinity tolerance in two halophyte grasses in extreme saline desert in India 542
- Salmonella*
 Evaluation of *Salmonella* Typhimurium biofilm against some antibiotics 562
- Salvia officinalis*
 Topical application of *Salvia officinalis* hydroethanolic leaf extract improves wound healing process 98
- Santara
 Characterization of organic acids, sugars, antioxidant and anti-inflammatory activities of *Citrus reticulata* Blanco cv. Nagpur 604
- Savinase
 Purification and characterization of highly active LasB protease from *Pseudomonas aeruginosa* MCCB 123 303
- Scanning Electronic Microscopy (SEM)
 Green synthesis of silver nanoparticles by entomopathogenic fungus *Beauveria bassiana* and their bioefficacy against mustard aphid (*Lipaphis erysimi* Kalt.) 555

Scavenger		β -Sesquiphellandrene	
Protective role of Edaravone against valproic acid induced changes in skin	286	Essential oil profiling of <i>Alpinia</i> species from southern India	776
<i>Scenedesmus quadricauda</i>		Shillong	
Dissolved inorganic carbonate sustain the growth, lipid and biomass yield of <i>Scenedesmus quadricauda</i> under nitrogen starved condition	702	Fatty and amino acid compositions of <i>Vernicia fordii</i> : a source of α -eleostearic acid and methionine	734
<i>Sclerotinia sclerotiorum</i> .		Shoot buds	
Carotenoids extraction from <i>Rhodotorula glutinis</i> cells using various techniques: A comparative study	479	Synergistic effect of silver nitrate and coconut water on shoot differentiation and plant regeneration from cultured cotyledons of <i>Capsicum annuum</i> L.	184
Screening		Shoot organogenesis	
Fruit deformity in papaya: field screening, nutrient composition and amelioration by boron application	870	Effect of antioxidant protection system on regeneration potential of different chemotypes of <i>Withania somnifera</i> (L.) Dunal — A comparative analysis	242
<i>Scytonema varium</i>		Side effects	
New cell surface lectins with complex carbohydrate specificity from cyanobacteria	514	Protective role of Edaravone against valproic acid induced changes in skin	286
Sedatives		Silver nitrate	
Neuropharmacological investigations on <i>Actaea acuminata</i> Wall. ex Royle roots	27	Synergistic effect of silver nitrate and coconut water on shoot differentiation and plant regeneration from cultured cotyledons of <i>Capsicum annuum</i> L.	184
Phytochemical investigation and exploration of CNS depressant efficacy of ethanolic root extract of <i>Cyperus kyllinga</i> Endl.	801	<i>Sinapis alba</i>	
Selective serotonin reuptake inhibitors		Expression analysis of candidate genes for abiotic stress tolerance in <i>Brassica</i> genotypes with contrasting osmotic stress tolerance	333
Effects of maternal exposure to antidepressant fluoxetine on humoral immunity in rat pups	675	Single culture	
Selective transport		Poly-b-hydroxybutyrate biodegradation by mixed culture population <i>vis-à-vis</i> single culture population under varying environmental conditions: A new approach	311
Pattern of salt accumulation and its impact on salinity tolerance in two halophyte grasses in extreme saline desert in India	542	Sisso	
Self pollination		Antioxidant, photosynthesis and growth characteristics of plants grown in high sulphur coalmine overburden	151
Correlation between selected morphological floral characters and yield components related traits in <i>Oryza sativa</i> L.	642	Skin	
Seminiferous tubule cells (STCs)		Protective role of Edaravone against valproic acid induced changes in skin	286
Differential expression of apoptotic proteins in seminiferous tubule cells of adult rats by neonatal exposure to 6-n propyl-2-thiouracil (PTU), a thyroid disrupting chemical	634	breaking strength	
SEM. See Scanning Electronic Microscopy (SEM)		Wound healing activity of <i>Celtis timorensis</i> Span. (Cannabaceae) leaf extract in Wistar albino rats	688
Sequencing		Snake venom	
Allelic variations in <i>dnaK</i> of thermotolerant bacilli inhabiting thermal springs	527	Russell's viper venom induced nephrotoxicity, myotoxicity, and hepatotoxicity—Neutralization with gold nanoparticle conjugated 2-hydroxy-4-methoxy benzoic acid <i>in vivo</i>	7
Serotonin		Snakebite	
Protective role of Krill oil against estrogen deficiency induced neurodegeneration in ovariectomized rats	279	Russell's viper venom induced nephrotoxicity, myotoxicity, and hepatotoxicity—Neutralization with gold nanoparticle conjugated 2-hydroxy-4-methoxy benzoic acid <i>in vivo</i>	7
<i>Serratia marcescens</i>		SOD. See Superoxide dismutase (SOD)	
Production of bacterial pigments in low cost medium and formulation of biodegradable ink	441	Sodium butyrate	
Quorum sensing mediated virulence inhibition of an opportunistic human pathogen <i>Serratia marcescens</i> from unexplored marine sediment of Palk Bay through function driven metagenomic approach	448	Sodium butyrate induces p53 dependent and independent cell death in human brain tumor cells in primary culture <i>in vitro</i>	747
Sesame		Soil	
Characterization of phytotoxin producing <i>Alternaria</i> species isolated from sesame leaves and their toxicity	36	Molecular diversity of methanogenic archaea and methane production potential of soil in relation to rice cultivars alkali	506
<i>Sesamum indicum</i>		Fruit deformity in papaya: field screening, nutrient composition and amelioration by boron application	870
Characterization of phytotoxin producing <i>Alternaria</i> species isolated from sesame leaves and their toxicity	36	pollution	
<i>Sesbania rostrata</i>		Protective role of <i>Trichoderma logibrachiatum</i> (WT2) on Lead induced oxidative stress in <i>Helianthus annuus</i> L.	235
Antioxidant, photosynthesis and growth characteristics of plants grown in high sulphur coalmine overburden	151		

- saline
 Pattern of salt accumulation and its impact on salinity tolerance in two halophyte grasses in extreme saline desert in India 542
- Solanum lycopersicum*
 Isolation, characterization and evaluation of the biocontrol potential of *Pseudomonas protegens* RS-9 against *Ralstonia solanacearum* in Tomato 595
- Solid environment
 Poly-b-hydroxybutyrate biodegradation by mixed culture population *vis-à-vis* single culture population under varying environmental conditions: A new approach 311
- Solid state fermentation (SSF)
 Process optimization for hyperproduction of 1,4-alpha-D-glucan glucanohydrolase from locally isolated *Bacillus subtilis* BBT6 under solid state fermentation 795
- Solubilization
 phosphate and potassium
 Isolation of bacterial strains possessing nitrogen-fixation, phosphate and potassium-solubilization and their inoculation effects on sugarcane 161
- Somatic embryos
In vitro flowering in *Bambusa bambos* (L.) Voss, an anatomical perspective 171
- Soybean
 Protective effect of standardized extract of *Glycine max* seeds against experimentally induced gastroesophageal reflux disease in rats 768
- Spectroscopy
 IR
 Optimization of process parameters for bioproduction, isolation and purification of 4-Ipomeanol from cell suspension cultures of *Ipomoea batatas* (L.) Lam. 191
- Sphingomonas faeni*
 Exogenous expression of ACC deaminase gene in psychrotolerant bacteria alleviates chilling stress and promotes plant growth in millets under chilling conditions 463
- Spice
 Repressive effect of curcumin against 2-amino-3-methylimidazo [4,5-f] quinoline induced hepato- and immunotoxicity in mice 365
- Spirotrich ciliates
 Influence of copper and cadmium toxicity on antioxidant enzyme activity 694
- Sporobolus marginatus*
 Pattern of salt accumulation and its impact on salinity tolerance in two halophyte grasses in extreme saline desert in India 542
- Spreading hogweed
 Anticataract potential of roots of *Boerhavia diffusa* on galactose induced cataractogenesis 838
 Effect of cardioprotective polyherbal formulation on isoproterenol induced myocardial infarction in experimental animals 357
- SSF. *See* solid state fermentation (SSF)
- STC. *See* Seminiferous tubule cells (STCs)
- Stem bark
 Effect of *Delonix regia* (Boj. Ex Hook.) Raf. stem bark extract against experimentally induced ulcers in rats 49
- Stem cells, mesenchymal
 Isolation, proliferation, characterization and *in vivo* osteogenic potential of bonemarrow derived mesenchymal stem cells (rBMSC) in rabbit model 79
- Stenotrophomonas* sp.
 Evaluation of arsenic removal potential of arsenic resistant bacteria with the role of physiological and genomic factors 251
- Stinking wood
 Wound healing activity of *Celtis timorensis* Span. (Cannabaceae) leaf extract in Wistar albino rats 688
- Stomatal behaviour
 Stomatal clustering pattern in *Arachis hypogaea* L. under water deficit stress 880
- Streptomycin
 Incidence and characterization of *Pseudomonas* species isolated from spoilt fresh produce 372
- Stress. *See also* Abiotic stress
 Effect of supplemental ultraviolet-B radiation on *Withania somnifera* (L.) Dunal: An appraisal of morphological, physiological and biochemical characteristics 845
 Exogenous expression of ACC deaminase gene in psychrotolerant bacteria alleviates chilling stress and promotes plant growth in millets under chilling conditions 463
 Oxidative. *See also* Oxidative stress
 Protective role of Edaravone against valproic acid induced changes in skin 286
 Protective role of Krill oil against estrogen deficiency induced neurodegeneration in ovariectomized rats 279
- Plant
 Protective role of *Trichoderma logibrachiatum* (WT2) on Lead induced oxidative stress in *Helianthus annuus* L. 235
- Submerged fermentation
 Poly-b-hydroxybutyrate biodegradation by mixed culture population *vis-à-vis* single culture population under varying environmental conditions: A new approach 311
- Sulphur containing amino acids
 Fatty and amino acid compositions of *Vernicia fordii*: a source of α -eleostearic acid and methionine 734
- Sunflower
 Protective role of *Trichoderma logibrachiatum* (WT2) on Lead induced oxidative stress in *Helianthus annuus* L. 235
- Superoxide dismutase (SOD)
In vitro screening of calli of mungbean to cercosporin, a photoactivated toxin 113
 Influence of copper and cadmium toxicity on antioxidant enzyme activity 694
- Surra
 Serodiagnosis of animal trypanosomosis using a recombinant invariant surface glycoprotein of *Trypanosoma evansi* 209
- Suspension culture
 Optimization of process parameters for bioproduction, isolation and purification of 4-Ipomeanol from cell suspension cultures of *Ipomoea batatas* (L.) Lam. 191
- Swarna Bhasma*
 Safety assessment on chronic administration of *Swarna Bindu Prashan*— a popular Ayurvedic preparation of incinerated gold ash used as immune booster to children in southern India 217

<i>Swarna Bindu Prashan</i>		Textile dyeing	
Safety assessment on chronic administration of <i>Swarna Bindu Prashan</i> — a popular Ayurvedic preparation of incinerated gold ash used as immune booster to children in southern India	217	Production of bacterial pigments in low cost medium and formulation of biodegradable ink	441
<i>Swarna sub 1</i>		TGA. <i>See</i> Thermogravimetric analysis (TGA)	
Molecular diversity of methanogenic archaea and methane production potential of soil in relation to rice cultivars	506	Thermal springs	
Sweet potato		Allelic variations in <i>dnaK</i> of thermotolerant bacilli inhabiting thermal springs	527
Optimization of process parameters for bioproduction, isolation and purification of 4- <i>Ipomeanol</i> from cell suspension cultures of <i>Ipomoea batatas</i> (L.) Lam.	191	Thermogravimetric analysis (TGA)	
Synaptosomes		Effect of alcohol on biochemical properties and thermal stability of weight bearing bones in male Wistar rats	761
Alterations in cerebrocortical synaptosomal acetylcholinesterase activity and histomorphology of thyroid gland of adult rat during different thyroidal conditions	201	Thidiazuron	
<i>Synechocystis</i> sp.		Synergistic effect of silver nitrate and coconut water on shoot differentiation and plant regeneration from cultured cotyledons of <i>Capsicum annum</i> L.	184
New cell surface lectins with complex carbohydrate specificity from cyanobacteria	514	Thiols	
<i>Syzygium aromaticum</i>		Effect of supplemental ultraviolet-B radiation on <i>Withania somnifera</i> (L.) Dunal: An appraisal of morphological, physiological and biochemical characteristics	845
Antitumor potential of herbomineral formulation against breast cancer: Involvement of inflammation and oxidative stress	680	Thylakoid membranes	
T-lymphocytes		Silencing of fatty acid desaturase (<i>FAD7</i>) gene enhances membrane stability and photosynthetic efficiency under heat stress in tobacco (<i>Nicotiana benthamiana</i>)	532
Long term exposure to deltamethrin causes a dual effect on plasma membrane Ca^{2+} -ATPase activity and reduces its mRNA levels in human lymphocytes	271	Thyroid morphology	
Tarvine		Alterations in cerebrocortical synaptosomal acetylcholinesterase activity and histomorphology of thyroid gland of adult rat during different thyroidal conditions	201
Anticataract potential of roots of <i>Boerhavia diffusa</i> on galactose induced cataractogenesis	838	<i>Tilletia indica</i>	
Effect of cardioprotective polyherbal formulation on isoproterenol induced myocardial infarction in experimental animals	357	Development of real time PCR assay for detection and quantification of teliospores of <i>Tilletia indica</i> in soil	549
Teak		<i>Tinospora cordifolia</i>	
Effect of discrete (individual) and mixed (bulk) genomic DNA on genetic diversity estimates and population structure in Teak (<i>Tectona grandis</i> L. f.)	44	Antitumor potential of herbomineral formulation against breast cancer: Involvement of inflammation and oxidative stress	680
<i>Tectona grandis</i>		Phytoextracts protect <i>Saccharomyces cerevisiae</i> from oxidative stress with simultaneous enhancement in bioremediation efficacy	469
Effect of discrete (individual) and mixed (bulk) genomic DNA on genetic diversity estimates and population structure in Teak (<i>Tectona grandis</i> L. f.)	44	<i>Tinospora cordifolia</i> (Guduchi)	
Teliospores		Effect of <i>Tinospora cordifolia</i> (Guduchi) on the phagocytic and pinocytic activity of murine macrophages <i>in vitro</i>	21
Development of real time PCR assay for detection and quantification of teliospores of <i>Tilletia indica</i> in soil	549	Tissue Factor Activity	
TEM. <i>See</i> Transmission electron microscopy (TEM)		Protective role of Edaravone against valproic acid induced changes in skin	286
α -Terpineol		α -Tocopherol	
Essential oil profiling of <i>Alpinia</i> species from southern India	776	Effect of supplemental ultraviolet-B radiation on <i>Withania somnifera</i> (L.) Dunal: An appraisal of morphological, physiological and biochemical characteristics	845
Testis		Protection of vitamin A and E against toxicity induced by hydroquinone	383
Differential expression of apoptotic proteins in seminiferous tubule cells of adult rats by neonatal exposure to 6-n propyl-2-thiouracil (PTU), a thyroid disrupting chemical	634	<i>Toddalia asiatica</i>	
Testosterone		Effect of aqueous extracts of <i>Enicostema axillare</i> and <i>Toddalia asiatica</i> on complement system alternative pathway activity	628
Effects of chronic prepubertal stress on serum level of kisspeptin and histopathological changes in the kidney of the male rat	344	<i>Tor khudree</i>	
<i>Tetmemena</i> sp.		Reaction of sera of cultivable fishes in India with monoclonal antibody to immunoglobulin of Rohu (<i>Labeo rohita</i>) in immunodot	292
Influence of copper and cadmium toxicity on antioxidant enzyme activity	694		

- Total phenolic contents
Effect of antioxidant protection system on regeneration potential of different chemotypes of *Withania somnifera* (L.) Dunal — A comparative analysis 242
- Tobacco
Silencing of fatty acid desaturase (*FAD7*) gene enhances membrane stability and photosynthetic efficiency under heat stress in tobacco (*Nicotiana benthamiana*) 532
- Transmission electron microscopy (TEM)
Green synthesis of silver nanoparticles by entomopathogenic fungus *Beauveria bassiana* and their bioefficacy against mustard aphid (*Lipaphis erysimi* Kalt.) 555
- Transpiration
Stomatal clustering pattern in *Arachis hypogaea* L. under water deficit stress 880
- Trianthemae portulacastrum* L.
In vitro screening of foliar pathogens for biological control of Horse Purslane weed 389
- Tribal medicine
Wound healing activity of *Celtis timorensis* Span. (Cannabaceae) leaf extract in Wistar albino rats 688
- Trichoderma logibrachiatum*
Protective role of *Trichoderma logibrachiatum* (WT2) on Lead induced oxidative stress in *Helianthus annuus* L. 235
- Triiodothyronine
Alterations in cerebrocortical synaptosomal acetylcholinesterase activity and histomorphology of thyroid gland of adult rat during different thyroidal conditions 201
- Triticum*
Development of real time PCR assay for detection and quantification of teliospores of *Tilletia indica* in soil 549
- Triticum aestivum*
Tolerance to combined boron and salt stress in wheat varieties: Biochemical and molecular analyses 321
- Trypanosoma evansi*
Serodiagnosis of animal trypanosomosis using a recombinant invariant surface glycoprotein of *Trypanosoma evansi* 209
- Trypanosomosis
Serodiagnosis of animal trypanosomosis using a recombinant invariant surface glycoprotein of *Trypanosoma evansi* 209
- Tumor. *See also* Cancer
Antitumor potential of herbomineral formulation against breast cancer: Involvement of inflammation and oxidative stress 680
- Tumor associated macrophages (TAMs)
In vitro macrophage activation: A technique for screening anti-inflammatory, immunomodulatory and anticancer activity of phytomolecules 133
- Tumor suppressor protein
Repressive effect of curcumin against 2-amino-3-methylimidazo [4,5-f] quinoline induced hepato- and immunotoxicity in mice 365
- Tung seed oil
Fatty and amino acid compositions of *Vernicia fordii*: a source of α -eleostearic acid and methionine 734
- Turmeric
Repressive effect of curcumin against 2-amino-3-methylimidazo [4,5-f] quinoline induced hepato- and immunotoxicity in mice 365
- Ulcer
Effect of *Delonix regia* (Boj. Ex Hook.) Raf. stem bark extract against experimentally induced ulcers in rats 49
Effect of ethanolic extract of *Quisqualis indica* L. flower on experimental esophagitis in albino Wistar rats 122
- Unani
Phytochemical investigation and exploration of CNS depressant efficacy of ethanolic root extract of *Cyperus kyllinga* Endl. 801
- Urea
Removal of Atrazine by coupling Fenton reaction with bioreactor in series 498
- Ureogenic and non-ureogenic vertebrates
Mitochondrial membrane-bound activity of arginase is independent of nitrogen excretion pattern in ureogenic and non-ureogenic vertebrates 74
- UV-B
Effect of supplemental ultraviolet-B radiation on *Withania somnifera* (L.) Dunal: An appraisal of morphological, physiological and biochemical characteristics 845
- Valproic acid (VPA)
Protective role of Edaravone against valproic acid induced changes in skin 286
- Vayasthapana rasayana*
Phytoextracts protect *Saccharomyces cerevisiae* from oxidative stress with simultaneous enhancement in bioremediation efficacy 469
- Venom, snake
Russell's viper venom induced nephrotoxicity, myotoxicity, and hepatotoxicity—Neutralization with gold nanoparticle conjugated 2-hydroxy-4-methoxy benzoic acid *in vivo* 7
- Vernicia fordii* Hemsl.
Fatty and amino acid compositions of *Vernicia fordii*: a source of α -eleostearic acid and methionine 734
- VERO
Benzoyloxy-ethyl-carbamic acid: A novel anticancerous secondary metabolite produced by *Streptomyces globosus* VITLGGK011 411
- Vigna radiata*
In vitro screening of calli of mungbean to cercosporin, a photoactivated toxin 113
- VIGS. *See* Virus-induced gene silencing (VIGS)
Virus-induced gene silencing (VIGS)
Silencing of fatty acid desaturase (*FAD7*) gene enhances membrane stability and photosynthetic efficiency under heat stress in tobacco (*Nicotiana benthamiana*) 532
- Vilayati babool*
Physicochemical properties and toxicity test of *Prosopis juliflora* (Sw.) DC. and *Balanites aegyptiaca* Del gum exudates from Rajasthan 782
- Violacein
Quorum sensing mediated virulence inhibition of an opportunistic human pathogen *Serratia marcescens* from unexplored marine sediment of Palk Bay through function driven metagenomic approach 448

Violacein		Whole seedling assay (WSAG)	
Production of bacterial pigments in low cost medium and formulation of biodegradable ink	441	Detached leaf assay for evaluating resistance to leaf rust <i>Pst.</i> 104-2 in wheat (<i>Triticum aestivum</i> L.)	789
Viperidae		<i>Withania somnifera</i> (L.) Dunal	
Russell's viper venom induced nephrotoxicity, myotoxicity, and hepatotoxicity—Neutralization with gold nanoparticle conjugated 2-hydroxy-4-methoxy benzoic acid <i>in vivo</i>	7	Effect of antioxidant protection system on regeneration potential of different chemotypes of <i>Withania somnifera</i> (L.) Dunal — A comparative analysis	242
Vitamins		Effect of supplemental ultraviolet-B radiation on <i>Withania somnifera</i> (L.) Dunal: An appraisal of morphological, physiological and biochemical characteristics	845
Protection of vitamin A and E against toxicity induced by hydroquinone	383	Wood vinegar	
C, E		Optimization of pyroligneous acid production from palm kernel shell and its potential antibacterial and antibiofilm activities	427
Effect of supplemental ultraviolet-B radiation on <i>Withania somnifera</i> (L.) Dunal: An appraisal of morphological, physiological and biochemical characteristics	845	Wound healing	
VPA. <i>See</i> Valproic acid (VPA)		Pharmacognostical evaluation of Indian folk-traditional plants <i>Coelogyne cristata</i> and <i>Pholidota articulata</i> used for healing fractures	622
Waste effluents		Topical application of <i>Salvia officinalis</i> hydroethanolic leaf extract improves wound healing process	98
Spray drying as effective encapsulation method for phenol degrading bacteria	485	Wound healing activity of <i>Celtis timorensis</i> Span. (Cannabaceae) leaf extract in Wistar albino rats	688
Water		Wounding	
deficit		Wounding activates a 47 kDa MAP kinase in <i>Catharanthus roseus</i> (L.) G. Don.	107
Stomatal clustering pattern in <i>Arachis hypogaea</i> L. under water deficit stress	880	X-ray techniques	
pollution		Extracellular synthesis of silver nanoparticles by the fungus <i>Emericella nidulans</i> EV4 and its application	262
Evaluation of arsenic removal potential of arsenic resistant bacteria with the role of physiological and genomic factors	251	XRD	
use efficiency		Green synthesis of silver nanoparticles by entomopathogenic fungus <i>Beauveria bassiana</i> and their bioefficacy against mustard aphid (<i>Lipaphis erysimi</i> Kalt.)	555
Effect of supplemental ultraviolet-B radiation on <i>Withania somnifera</i> L. (Dunal): An appraisal of morphological, physiological and biochemical characteristics	845	Xylanase	
Weedicides		Improved cellulase production by <i>Penicillium janthinellum</i> mutant	436
Removal of Atrazine by coupling Fenton reaction with bioreactor in series	498	Yeast	
Western Ghats		Carotenoids extraction from <i>Rhodotorula glutinis</i> cells using various techniques: A comparative study	479
<i>In vitro</i> propagation and genetic stability assessment of an endangered terrestrial jewel orchid <i>Anoectochilus elatus</i> Lindl.	853	Zebrafish	
<i>Westiellopsis</i> sp.		Benzoyloxy-ethyl-carbamic acid: A novel anticancerous secondary metabolite produced by <i>Streptomyces globosus</i> VITLKG011	411
New cell surface lectins with complex carbohydrate specificity from cyanobacteria	514	Protective role of heptamethoxyflavone against acetaminophen induced hepatotoxicity in zebrafish	805
Wheat		<i>Zingiber officinale</i>	
Development of real time PCR assay for detection and quantification of teliospores of <i>Tilletia indica</i> in soil	549	Dietary ginger improves glucose dysregulation in a long-term high-fat high-fructose fed prediabetic rat model	142
Wheat bran			
Process optimization for hyperproduction of 1,4-alpha-D-glucan glucanohydrolase from locally isolated <i>Bacillus subtilis</i> BBT6 under solid state fermentation	795		
Whole plant assay (WPAF)			
Detached leaf assay for evaluating resistance to leaf rust <i>Pst.</i> 104-2 in wheat (<i>Triticum aestivum</i> L.)	789		